

WET LOCATION LED LUMINAIRES

ALL OF L.A. LIGHTING'S WET LOCATION LED LUMINAIRES
ARE UL LISTED WITH SPRINKLER TEST. cULus



Los Angeles Lighting Mfg. Co.
(626) 454-8300 / www.lalighting.com





WET LOCATION

LED LUMINAIRES

All of L.A. Lighting's Wet Location LED luminaires are UL Listed with Sprinkler Test.

SURFACE MOUNT

BCL100



Canopy Security Wet Location

Surface mounted security wet location LED luminaire

Lumen Packages: 3000, 4000

Sizes: 1'x1'

Applications: Wet Location, Canopy, Stairwell, Passageway, Corridor, Pedestrian Tunnel, Vandal Resistant Areas, Public Areas, Commercial

MWL320



Wet Location Surface Mount

Surface mounted wet location LED luminaire suitable for class 100 clean rooms

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Wet Location, Sealed Ceiling Areas, Commercial, Class 100 Clean Room

RECESSED

GWL320



Wet Location Grid Mount

Recessed mounted wet location LED luminaire for 1" or 1 1/2" wide inverted T-bar ceilings suitable for class 100 clean rooms

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Wet Location, Sealed Ceiling Areas, Commercial, Class 100 Clean Room

FWL320



Trim Flange Wet Location

Recessed mounted wet location LED luminaire suitable for class 100 clean rooms

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Wet Location, Sealed Ceiling Areas, Commercial, Class 100 Clean Room

WRAPAROUND

WCP100-WL



High Impact Square Wraparound

Surface / pendant mounted LED luminaire

Lumen Packages: 2000, 4000, 6000, 8000, 16000

Sizes: 4', 8'

Applications: Corridor, Classroom, Office, Commercial

WCP200-WL



High Impact Square Wraparound

Surface / pendant mounted LED luminaire

Lumen Packages: 3000, 4000, 6000, 8000, 12000, 16000

Sizes: 4', 8'

Applications: Classroom, Office, Commercial

WCP300-WL



High Impact Square Wraparound

Surface / pendant mounted LED luminaire

Lumen Packages: 4000, 6000, 8000, 12000, 16000

Sizes: 4', 8'

Applications: Classroom, Office, Commercial

WSE200-WL



High Impact Security Wraparound

Stem / suspension mounted LED luminaire

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000, 16000

Sizes: 2', 3', 4', 8'

Applications: Canopy, Corridor, Classroom, Parking Structure, Commercial

WSE201-WL



Sensor Controlled High Impact Radial Security Wraparound

Stem / suspension mounted LED luminaire

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000, 16000

Sizes: 2', 3', 4', 8'

Applications: Canopy, Corridor, Classroom, Parking Structure, Stairwell, Commercial



WET LOCATION

LED LUMINAIRES

All of L.A. Lighting's Wet Location LED luminaires are UL Listed with Sprinkler Test.

CLASS 100 CLEAN ROOM

FGR210-WL



Class 100 Trim Flanged Clean Room

Class 100 recessed mounted LED luminaire

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 1'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

FGR220-WL



Class 100 Trim Flanged Clean Room

Class 100 recessed mounted LED luminaire

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

FGR221-WL



Class 100 Trim Flanged Clean Room

Class 100 recessed mounted LED luminaire

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

GCR210-WL



Class 100 Clean Room Grid Mount

Class 100 recessed mounted LED luminaire for 1" or 1_1/2" wide inverted T-bar ceilings

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 1'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

GCR211-WL



Class 100 Clean Room Grid Mount

Class 100 recessed mounted LED luminaire for 1" or 1_1/2" wide inverted T-bar ceilings

Lumen Packages: 2000, 4000, 6000, 8000

Sizes: 1'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

GCR220-WL



Class 100 Clean Room Grid Mount

Class 100 recessed mounted LED luminaire for 1" or 1_1/2" wide inverted T-bar ceilings

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

GCR221-WL



Class 100 Clean Room Grid Mount

Class 100 recessed mounted LED luminaire for 1" or 1_1/2" wide inverted T-bar ceilings

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

MCR210-WL



Class 100 Clean Room Surface Mount

Class 100 surface mounted LED luminaire

Lumen Packages: 2000, 4000, 6000, 8000, 12000

Sizes: 1'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

MCR220-WL



Class 100 Clean Room Surface Mount

Class 100 surface mounted LED luminaire

Lumen Packages: 2000, 3000, 4000, 6000, 8000, 12000

Sizes: 2'x2', 2'x4'

Applications: Class 100 Clean Room, Sealed Ceiling Areas, Commercial, Wet Location

HIGH BAY

HBI800




Industrial Wet Location High Bay

Suspension mounted wet location high bay LED luminaire

Lumen Packages: 8000, 12000, 16000, 24000

Sizes: 4'

Applications: Wet Location, Industrial, Commercial





WET LOCATION

LED LUMINAIRES

All of L.A. Lighting's Wet Location LED luminaires are UL Listed with Sprinkler Test.

VAPOR TIGHT

CIT100-WL



Fully Enclosed Gasketed Impact Resistant Vapor Tight (Enclosure Rated IP65 / IP66 / IP67 / NEMA 4x)

Surface / suspension mounted vapor tight gasketed LED luminaire

Lumen Packages: 2000, 4000, 6000

Sizes: 4'

Applications: Refrigeration, Dusty Areas, Freezer, Commercial, Wet Location



CIT200-WL



Fully Enclosed Gasketed Impact Resistant Vapor Tight (Enclosure Rated IP65 / IP66 / IP67 / NEMA 4x)

Surface / suspension mounted vapor tight gasketed LED luminaire

Lumen Packages: 1000, 2000, 3000, 4000, 6000, 8000, 12000, 16000

Sizes: 2', 4', 8'

Applications: Refrigeration, Dusty Areas, Freezer, Commercial, Wet Location



CIT202-WL



Parking Structure Fully Enclosed Gasketed Impact Resistant Vapor Tight (Enclosure Rated IP65 / IP66 / IP67 / NEMA 4x)

Surface / suspension mounted vapor tight gasketed LED luminaire

Lumen Packages: 4000, 6000, 8000

Sizes: 2', 4'

Applications: Parking Structure, Where Wide Distribution is Desired, Commercial, Wet Location



CIT400-WL



Fully Enclosed Gasketed Impact Resistant Vapor Tight (Enclosure Rated IP65 / IP66 / IP67 / NEMA 4x)

Suspension / ceiling mounted vapor tight gasketed LED luminaire

Lumen Packages: 4000, 6000, 8000, 12000, 16000, 24000, 32000

Sizes: 2', 4'

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing, Commercial, Wet Location

