



# LED PRODUCT REFERENCE GUIDE

COMMERCIAL + INDUSTRIAL

- » STANDARD + MODIFIED PRODUCTS
- » RETROFIT SOLUTIONS
- » CUSTOM DESIGNS
- » IN-STOCK FINISHED GOODS

*Designed, manufactured, and shipped from our El Monte, California facility. L.A. Lighting products sold exclusively through electrical wholesale and lighting distributors.*

*For the complete LED and Fluorescent product listing from L.A. Lighting, please view digital catalog at [www.lalighting.com](http://www.lalighting.com)*

REPRESENTED BY

DISTRIBUTED BY



# COMMERCIAL & INDUSTRIAL STANDARD & CUSTOM LIGHTING FIXTURES



## Who is L.A. Lighting?

L.A. Lighting is more than just a manufacturer of lighting fixtures. We are a family-owned business, established in 1988 with one simple objective; provide our customers with what they want, how they want it, and when they want it.

Located in the heart of L.A. County, every luminaire we ship is designed, developed, and manufactured in our facility located in El Monte, CA.


L.A. Lighting is one of the last truly "Made-In-America" lighting manufacturers who builds to order and has finished goods ready to ship same day.

---

**"When you call L.A. Lighting, you are talking to the factory."**

---

From simple questions to the most technical information, our Inside Sales professionals are ready, willing and more than able to bring you the same high level of quality in customer service as we do in our finished products. Open and easy communication is the hallmark of L.A. Lighting's 32 years filling the needs of our customers.



MADE IN THE USA

10141 Olney Street, El Monte, CA 91731  
T: (626) 454-8300  
F: (626) 454-8399  
www.lalighting.com

## LOS ANGELES LIGHTING MANUFACTURING MFG. CO.

### Why Offer L.A. Lighting Fixtures?

Combined with the integration of high-quality components and superior customer service, we offer the ease and flexibility of customizing and modifying our standard products to meet your lighting requirements.

Whether you require a small, mid-size, or large production run, we have the ability to meet your project lead times and delivery dates.

### Quick Ship

A large selection of in-stock finished goods available for immediate shipping or Will-Call.

### Standard Products

We offer a large selection of standard LED products designed for the most common indoor lighting applications. These standard products are available in a combination of lumen packages, Kelvin temperatures, and (wireless) sensors and controls.

### Modified Products

Custom modifications may include a variety of lens options, tunable white, specific LED Drivers, and custom paint options. Modifying our luminaires to meet your specification requirements allows L.A. Lighting to custom build any fixture for any commercial or industrial application.

### Custom Products

The L.A. Lighting team designs, develops, and manufactures new products with unique designs that help you meet your specific and often challenging job application requirements. Some typical applications that require custom product designs may include lighting fixture replacement or retrofit, national accounts and new construction.

### Kelvin Flexibility

Selecting the right Kelvin temperature for the application could not be easier with L.A. Lighting. The majority of our LED Fixtures has the Kelvin range from 2700K to 6500K, which can easily be dictated in our ordering guide. We even have the ability to add Tunable White option for those who cannot make up their mind on what color will work best for them.

### What Makes L.A. Lighting your Manufacturer of Choice?

With all departments under one roof, this means our engineering team, purchasing department, production team, customer service team, marketing and sales departments are all readily available to add value on your projects and help meet key deadlines you may be facing.

Designed, manufactured, and shipped from our El Monte, California facility. L.A. Lighting products are sold exclusively through electrical wholesale and lighting distributors.

Our commitment is to provide you with the right lighting solutions, meet your lead time requirements and leave you feeling satisfied with each and every interaction with L.A. Lighting.

# TABLE OF CONTENTS

<b>LOS ANGELES LIGHTING CAPABILITIES / TUNABLE WHITE</b>	<b>1</b>
<b>WIRELESS CONTROLS</b>	<b>2</b>
<b>CUSTOM LIGHTING DESIGNS</b> Practical Solutions for Unique Applications	<b>3</b>
<b>RETROFIT SOLUTIONS</b> Convert Existing Fluorescent and HID Fixtures to LED Luminaires	<b>5</b>
<b>SECURITY</b> Security, Vandal Resistant Areas, Public Areas, Passageway, Corridor, Parking Structure	<b>7</b>
<b>WET LOCATION</b> Wet Location, Refrigeration	<b>9</b>
<b>PARKING STRUCTURE</b> Parking Structure, Stairwell, Canopy, Corridor, Warehouse, Classroom	<b>11</b>
<b>STAIRWELL</b> Stairwell, Parking Structure, Canopy, Corridor	<b>12</b>
<b>CLEAN ROOM</b> Sealed Ceiling Areas, Hospital, Laboratory, Electronic Assembly, Wet Location, Hydroponics	<b>13</b>
<b>ARCHITECTURAL</b> Retail, Museum, Office, Atrium, Corridor, Library	<b>14</b>
<b>INDUSTRIAL</b> Retail, Warehouse, Assembly Line	<b>15</b>
<b>STRIP LIGHT</b> Stairwell, Corridor, Retail, Parking Structure	<b>16</b>
<b>WRAPAROUND</b> Corridor, Stairwell, Classroom, Office, Canopy, Parking Structure	<b>17</b>
<b>SURFACE MOUNT</b> Corridor, Stairwell, Classroom, Office, Canopy, Parking Structure	<b>19</b>
<b>RECESSED</b> Corridor, Stairwell, Vanity	<b>21</b>
<b>VAPOR TIGHT</b> Vapor Tight Area, Parking Structure, Refrigeration, Wet Location	<b>24</b>
<b>BAYLIGHTER™</b> Industrial, Gymnasium, Warehouse, Wet Location	<b>25</b>
<b>LED STOCK SHEETS</b>	<b>27</b>

# LOS ANGELES LIGHTING MFG. CO.

YOUR AMERICAN LIGHTING MANUFACTURER

## L.A. Lighting Manufactures Modified and Custom Luminaires

Modified and Custom fixtures may require “Non-Standard” modifications an assigned **LCD** part number identifies the product as a “Non-Standard” modified custom fixture **LCD** (Lighting Custom Design) is assigned to the modification

This **LCD** part number identifies the product as “Non-Standard”

**LCDs** are not limited to existing fixtures and may require the creation of an entire new fixture design

### LCD Part Numbers Nomenclature will:

Reference the **LCD** number in the quote

list the **LCD** number in the cutsheet

identify all of the physical aspects of the product

include all of the specific assembly instructions

The **LCD** numbers allows L.A. Lighting to seamlessly mix both standard and modified products.

### Modifications May include, but are Not Limited to:

Overall dimensions

Material composition

(Aluminum, steel, or gauge of the metal)

Addition, subtraction, and relocation of a knockout

integration of a sensor location

Building to non-standard is what differentiates L.A. Lighting from the competition



## TUNABLE WHITE + HUMAN CENTRIC LIGHTING



Human centric lighting can improve people's motivation, well being, and productivity, which is where tunable white comes in. Tunable white uses two controllable channels to adjust the color temperature and lumen output. The channels in a tunable white system all produce white light but with varying color temperatures. With tunable white capabilities, you have the ability to tune the color of your luminaires with an infinite color range available from 2700K warm tones through 6500K cool tones and everything in between.



[BACK TO INDEX](#)

# SIMPLE WIRELESS CONTROLS AND LED LIGHT FIXTURES

Simple wireless solutions for your independent room applications



## L.A. Lighting Engineered

Factory engineered for improved compatibility


## Pairing

Ease of installation for contractor or end user

## Connecting

Factory pre-installed controls into fixtures of choice

Some of the controls that L.A. Lighting can integrate into our lighting fixtures for your projects:



# FLUORESCENT + HID CONVERSION CHARTS

These conversion charts are approximations of the LED lumens required to replace your existing Fluorescent and HID fixtures. Fixture mounting height, on-center spacing, and other factors will affect the LED lumens needed. Actual result will depend on the luminaire itself.

## FLUORESCENT-TO-LED

Lamp Type	Lamp Qty	LED Lumens
F17T8 F14T5	1 =	1000 LM
	2 =	2000 LM
	3 =	3000 LM
	4 =	4000 LM
F32T8 F28T5 FB31T8 U FB32T8 U PL-L/40 F40 U	1 =	2000 LM
	2 =	4000 LM
	3 =	6000 LM
	4 =	8000 LM
	6 =	12000 LM
	8 =	16000 LM
F54T5HO PL-L/50 PL-L/55	1 =	4000 LM
	2 =	8000 LM
	3 =	12000 LM
	4 =	16000 LM
	8 =	32000 LM

## HID-TO-LED

HID Type	Lamp Wattage	LED Lumens
MH	100	4000
MH	150	8000
MH	175	8000
MH	250	12000
MH	400	16000 / 24000
MH	750	36000
MH	1000	48000 / 60000
HPS	100	4000
HPS	150	8000
HPS	200	12000
HPS	250	12000
HPS	400	16000
HPS	1000	48000

[BACK TO INDEX](#)




# CUSTOM DESIGNS

Practical Solutions for Unique Applications


## Examples of L.A. Lighting Custom Designs (LCD SERIES)

Developed in Conjunction with


Architects, Engineers, National Accounts, Electrical Contractors and End Users




**Top Access Luminaire**  
Designed for applications where access to the luminaire may not be easily accessible




**Top Access Flanged Luminaire**  
Designed for applications where access to the luminaire may not be easily accessible




**Recessed Asymmetrical Luminaire**  
Designed for application that requires Directional LED Lighting




**Industrial Strip w/Asymmetrical Reflector**  
Industrial Strip Luminaire with custom reflectors to meet the application needs




**Chain Mounted Luminaire**  
Designed for task work areas, indoor tennis courts




**Angled LED High Bay**  
Designed to reduce the build up of dust on the luminaire housing



**Louvered Recessed Luminaire**  
Developed for directional lighting applications with a baffled louver



**Deep Recessed Trim Flanged**  
Designed to "Restrict / Hide" the LED light source



**Adjustable Recessed Luminaire**  
Designed to easily modify the direction of light being emitted to accommodate the application



Los Angeles Lighting Mfg. Co.  
Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V dimming driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX

# CUSTOM DESIGNS


Practical Solutions for Unique Applications




## Examples of L.A. Lighting Custom Designs (LCD SERIES)

Developed in Conjunction with


Architects, Engineers, National Accounts, Electrical Contractors and End Users



**Indirect Cable Suspended Luminaire**  
Indirect LED fixture designed for work areas, display shelves, and conference rooms




**6" Wide Baffle Surface Mount Luminaire**  
Occupancy Controls Luminaires for secondary rooms, i.e., server/storage rooms




**45° High Impact Luminaire**  
Designed for indoor tennis courts




**RGBW Tunnel Luminaire**  
Color Tuning LED Luminaire with wall wash feature for tunnel applications



**6" Wide Baffle Recessed Luminaire**  
Semi-Recessed Luminaire designed for accent louvered lighting



**Strip Light w/ Perforated Reflector**  
Designed for Hallways, Corridors, and Passageways



**Sign Lighting Box**  
Custom Luminaire with information on the side (Illuminated Lettering)



**Sign Light Box LED Luminaire**  
Replaceable Signage (Graphics by others)



**Sign Light Box LED Luminaire**  
Replaceable Signage (Graphics by others)



Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant


BACK TO INDEX



# STANDARD RETROFIT SOLUTIONS

L.A. Lighting's Standard LED Retrofit Solutions can convert numerous Fluorescent and HID luminaires to LED

## TROFFER RETROFIT SOLUTION



### RGHL300 SERIES

LED Retrofit Solution for Fluorescent Modular Luminaires

**Lumen Packages:** Up to 16000+

**Sizes:** 1'x2', 1'x4', 2'x2', 3'x3' 2'x4'

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## PARABOLIC RETROFIT SOLUTION



### RGPA500 SERIES

LED Retrofit Solution for Fluorescent Parabolic Luminaires


**Lumen Packages:** Up to 16000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Frosted Acrylic

**Options:** Design Available to Accommodate Various Louvers Configurations. Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## STRIP LIGHT RETROFIT SOLUTION



### RSTR200 SERIES

LED Retrofit Solution for Fluorescent Strip & Industrial Luminaires


**Lumen Packages:** Up to 36000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted White Acrylic

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Frosted Acrylic Lens, Additional Lumen Packages Available

## HIGH BAY RETROFIT SOLUTION



### RMBL220

LED Retrofit Solutions for Fluorescent and HID High Bay Luminaires

**Lumen Packages:** Up to 20000+

**Sizes:** 2'x2'

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available



RGHL320 SERIES Installed in Classroom



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures

• 0-10V dimming driver

• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice.

Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX




# CUSTOM RETROFIT SOLUTIONS



*L.A. Lighting's engineering and manufacturing capabilities allows us to produce Custom LED Retrofit Solutions for existing fluorescent and HID fixtures to meet specific lumen levels and Kelvin color temperatures*

## CANOPY RETROFIT SOLUTION



### RBCW SERIES

*LED Retrofit Solutions for Fluorescent Canopy Luminaires*

**Lumen Packages:** Up to 4000+

**Sizes:** 1'x1'

**Lens:** Polycarbonate Injection Molded Lens

**Options:** Custom Colors, Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## VAPOR TIGHT RETROFIT SOLUTION



### RCIT SERIES

*LED Retrofit Solutions for Fluorescent Vapor Tight Luminaires*

**Lumen Packages:** Up to 8000+

**Sizes:** 2', 4'

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## HIGH BAY RETROFIT SOLUTION



### RDPH350

*LED Retrofit Solutions for Fluorescent High Bay Luminaires*

**Lumen Packages:** Up to 24000+

**Sizes:** 2'x4'

**Options:** High Ambient Temperature, Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## OUTDOOR RETROFIT SOLUTION



### RSL003


*LED Retrofit Solutions for Fluorescent Outdoor Luminaires*

**Lumen Packages:** Up to 10000+

**Sizes:** 4'

**Options:** Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available

## INDIRECT RETROFIT SOLUTION



### RSW003

*LED Retrofit Solutions for Fluorescent Indirect Luminaires*

**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Frosted Acrylic

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack

## WRAPAROUND RETROFIT SOLUTION



### RWHO SERIES

*LED Retrofit Solutions for Fluorescent Wraparound Luminaires*

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Options:** Painted After Fabrication, Wireless Controls, Emergency Battery Pack, Additional Lumen Packages Available



## Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX



# SECURITY

LED LUMINAIRES

## SECURITY HIGH IMPACT ANGLE



**ASE100**  
 Corner / Wall / Ceiling Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 2', 4', 8'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Minimum Security, Wall Mount Areas  
 Vandal Resistant Areas

## SECURITY WET LOCATION CANOPY



**BCL100 In-Stock Product**  
 Surface Mounted Wet Location LED Luminaire  
**Lumen Packages:** Up to 4000+  
**Sizes:** 1'x1'  
**Lens:** Polycarbonate Injection Molded  
**Applications:** Canopy, Corridor, Stairwell, Pedestrian  
 Tunnel, Vandal Resistant Areas

## SECURITY SHALLOW CANOPY



**BCL200**  
 Surface Mounted Wet Location LED Luminaire  
**Lumen Packages:** Up to 4000+  
**Sizes:** 1'x1'  
**Lens:** Clear Prismatic Polycarbonate  
**Applications:** Canopy, Corridor, Stairwell, Pedestrian  
 Tunnel, Passageway, Vandal Resistant Areas

## SECURITY HIGH IMPACT GRID



**GSE100 SERIES**  
 Recessed Mounted Security LED Luminaire  
**Lumen Packages:** Up to 12000+  
**Sizes:** 1'x4', 2'x2', 2'x4'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Security, Office, Classroom, Vandal  
 Resistant Areas, Public Areas

## SECURITY HIGH IMPACT



**MSE100 SERIES**  
 Surface Mounted Security LED Luminaire  
**Lumen Packages:** Up to 12000+  
**Sizes:** 1'x4', 2'x2', 2'x4'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Security, Office, Classroom, Vandal  
 Resistant Areas, Public Areas

## SECURITY HIGH IMPACT TRIM FLANGED



**FSE100 SERIES**  
 Recessed Mounted Security LED Luminaire  
**Lumen Packages:** Up to 12000+  
**Sizes:** 1'x4', 2'x2', 2'x4'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Security, Office, Classroom, Vandal  
 Resistant Areas, Public Areas

## SECURITY HIGH IMPACT HIGH BAY



**MBL229**  
 Surface Mount High Impact / High Bay Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Retail, Auditorium

## SECURITY HIGH BAY GRID MOUNTED



**GBL229**  
 Recessed Mounted High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** High Impact Areas

## SECURITY TRIM FLANGED HIGH BAY



**FBL229**  
 Trim Flanged High Impact High Bay Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** High Impact Areas



**Los Angeles Lighting Mfg. Co.**  
 Headquarters  
 10141 Olney Street  
 El Monte, CA 91731  
 Made in the USA  
 Contact Us  
 T: 626-454-8300  
 F: 626-454-8399  
 www.lalighting.com

Standard in all our Fixtures  
 • 0-10V dimming driver  
 • 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX

# SECURITY

LED LUMINAIRE S




SPEED

## SECURITY HIGH IMPACT WRAPAROUND

## SECURITY HIGH IMPACT WRAPAROUND

## SECURITY HIGH IMPACT WRAPAROUND



### WSE100


Surface / Ceiling / Wall Mounted Security LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** High Impact Clear Prismatic Acrylic

**Applications:** Vandal Resistant Areas, Pedestrian Tunnel, Passageway



### WSE400

Surface / Ceiling Mounted Security LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Vandal Resistant Areas, Pedestrian Tunnel, Passageway



### WSE500

Surface / Ceiling Mounted Security LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Vandal Resistant Areas, Pedestrian Tunnel, Passageway

## SECURITY INDUSTRIAL HIGH BAY



### HBI600

Surface / Pendant / Suspension Mounted High Bay LED Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 2'x 4'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Gymnasium, Industrial

## SECURITY LED RECESSED TRIM FLANGED



### FCL200


Recessed Trim Flange Security LED Luminaire

**Lumen Packages:** Up to 4000+

**Sizes:** 1'x1'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Corridor, Public Passageways



BCL100 Installed in Educational Facilities



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX



# WET LOCATION LED LUMINAIRES

## WET LOCATION CANOPY



### BCL100 In-Stock Product

Surface Mounted Wet Location LED Luminaire

**Lumen Packages:** Up to 4000+

**Sizes:** 1'x1'

**Lens:** Polycarbonate Injection Molded

**Applications:** Canopy, Corridor, Stairwell, Pedestrian Tunnel, Vandal Resistant Areas

## FLAT LENS CANOPY



### BCL200

Surface Mounted Wet Location LED Luminaire

**Lumen Packages:** Up to 4000+

**Sizes:** 1'x1'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Canopy, Corridor, Stairwell, Pedestrian Tunnel, Passageway, Vandal Resistant Areas

## WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

### CIT100

Suspension / Ceiling Mounted Gasketed LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Impact Resistant Smooth Acrylic Frosted

**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

### CIT200 In-Stock Product

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure

Suspension / Ceiling Mounted

Gasketed LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Impact Resistant Smooth Acrylic Frosted

**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## PARKING STRUCTURE VAPOR TIGHT



Suitable for Wash Down Applications

### CIT202

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure

Suspension / Ceiling Mounted Vapor Tight

Gasketed LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2', 4'

**Lens:** Deep Impact Resistant Smooth Frosted Acrylic

**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## HIGH BAY WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

### CIT400

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure

Suspension / Ceiling Mounted Vapor Tight Gasketed

LED Luminaire

**Lumen Packages:** Up to 32000+

**Sizes:** 4'

**Lens:** Impact Resistant Frosted Acrylic

**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## TRIM FLANGED CLEAN ROOM



### FCR SERIES

Class 100 / ISO Class 5 Equivalent

Recessed Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## TRIM FLANGED WET LOCATION



### FWL SERIES

Class 100 / ISO Class 5 Equivalent

Recessed Mounted Wet Location LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Wet Location, Sealed Ceiling Areas, Class 100 Clean Rooms

## CLASS 100 CLEAN ROOM GRID



### GCR SERIES

Class 100 / ISO Class 5 Equivalent

Recessed T-Bar Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas



Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures

• 0-10V dimming driver

• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



# WET LOCATION

LED LUMINAIRES



## WET LOCATION GRID



### GWL SERIES

*Class 100 / ISO Class 5 Equivalent  
Recessed Mounted Wet Location LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Wet Location, Sealed Ceiling Areas, Class 100 Clean Rooms

## INDUSTRIAL WET LOCATION HIGH BAY



### HBI800

*Suspension Mounted Wet Location High Bay  
LED Luminaire*

**Lumen Packages:** Up to 24000+

**Sizes:** 4'

**Lens:** Clear Prismatic Acrylic

**Applications:** Wet Location, Gymnasium, Industrial

## CLASS 100 CLEAN ROOM GRID



### MCR SERIES

*Class 100 / ISO Class 5 Equivalent  
Surface Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## SURFACE MOUNT WET LOCATION



### MWL SERIES

*Class 100 / ISO Class 5 Equivalent  
Surface Mounted Wet Location LED Luminaire*


**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Wet Location, Sealed Ceiling Areas, Class 100 Clean Rooms

## HIGH IMPACT SQUARE WRAPAROUND



### WCP SERIES

*Surface / Pendant Mounted LED Luminaire*

**Lumen Packages:** Up to 24000+

**Sizes:** 2', 4', 8'

**Lens:** Secured High Impact Clear Prismatic Acrylic

**Applications:** Classroom, Office, Corridor

## HIGH IMPACT SECURITY WRAPAROUND



### WSE200

*Surface / Suspension Mounted LED Luminaire*

**Lumen Packages:** Up to 24000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Classroom, Canopy, Corridor

## HIGH IMPACT SECURITY WRAPAROUND



### WSE201


*Surface / Suspension Mounted LED Luminaire*

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Corridor, Canopy



CIT200 Installed in Car Wash Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX




# PARKING STRUCTURE LUMINAIRES

## WET LOCATION CANOPY




**BCL100 In-Stock Product**  
 Surface Mounted Wet Location Led Luminaire  
**Lumen Packages:** Up to 4000+  
**Sizes:** 1'x1'  
**Lens:** Polycarbonate Injection Molded  
**Applications:** Canopy, Corridor, Stairwell, Pedestrian Tunnel, Vandal Resistant Areas

## WET LOCATION VAPOR TIGHT



*Suitable for Wash Down Applications*  
**CIT200 In-Stock Product**  
 IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure  
 Suspension / Ceiling Mounted  
 Gasketed LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 2', 4', 8'  
**Lens:** Impact Resistant Smooth Acrylic Frosted  
**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## PARKING STRUCTURE VAPOR TIGHT



*Suitable for Wash Down Applications*  
**CIT202 Specific for Parking Structures**  
 IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure  
 Suspension / Ceiling Mounted Vapor Tight  
 Gasketed LED Luminaire  
**Lumen Packages:** Up to 8000+  
**Sizes:** 2', 4'  
**Lens:** Deep Impact Resistant Smooth Frosted Acrylic  
**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing

## 2 1/4" LENSED STRIP WRAPAROUND




**STW100 In-Stock Product**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 2', 3', 4', 6', 8'  
**Lens:** Frosted White Acrylic  
**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## 5" WIDE LENSED STRIP WRAPAROUND



**STW200 In-Stock Product**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 4', 8'  
**Lens:** Deep Impact Resistant Smooth Frosted Acrylic  
**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## HIGH IMPACT SECURITY WRAPAROUND




**WSE200**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 2', 3', 4', 8'  
**Lens:** High Impact Linear Pattern Frosted Acrylic  
**Applications:** Parking Structure, Classroom, Canopy

## HIGH IMPACT SECURITY WRAPAROUND



**WSE201**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 2', 3', 4', 8'  
**Lens:** High Impact Linear Pattern Frosted Acrylic  
**Applications:** Parking Structure, Corridor, Canopy,

## PARKING STRUCTURE WRAPAROUND



**WSE250**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 4', 8'  
**Lens:** Snap-On Frosted Micro Linear Prism Acrylic  
**Applications:** Wet Location, Sealed Ceiling Areas, Class 100 Clean Rooms

## PARKING STRUCTURE WRAPAROUND



**WSE251 In-Stock Product**  
 Surface / Suspension Mounted LED Luminaire  
**Lumen Packages:** Up to 16000+  
**Sizes:** 4', 8'  
**Lens:** Snap-On Frosted Micro Linear Prism Acrylic  
**Applications:** Parking Structure, Corridor, Canopy

**Los Angeles Lighting Mfg. Co.**  
 Headquarters  
 10141 Olney Street  
 El Monte, CA 91731  
 Made in the USA  
 Contact Us  
 T: 626-454-8300  
 F: 626-454-8399  
 www.lalighting.com

Standard in all our Fixtures  
 • 0-10V dimming driver  
 • 27K - 65K CCT  
 Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



# STAIRWELL

LED LUMINAIRES



## ULTRASONIC SENSOR CONTROLLED



### BSW100

Wall Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4'

**Lens:** Snap-On Frosted Micro Linear Prism Acrylic

**Applications:** Stairwell, Wall Mount Areas

## ANGLED CURVED LENSED



### BAC200

Corner / Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Industrial, Warehouse, Commercial  
Passage Way, Corridor

## HIGH IMPACT SECURITY WRAPAROUND



### WSE201

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic  
**Applications:** Parking Structure, Corridor, Canopy

## PARKING STRUCTURE WRAPAROUND



### WSE251 In-Stock Product

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** 4' Snap-On Frosted Micro Linear Prism Acrylic

**Applications:** Parking Structure, Corridor, Canopy

## SQUARE WALL BRACKET



### BSQ100

Wall Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Industrial, Warehouse, Commercial



BSW100 Installed in Stairwell Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# CLEAN ROOM

LED LUMINAIRES

## CLASS 100 TRIM FLANGED



### FCR200 SERIES

*Class 100 / ISO Class 5 Equivalent Recessed Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 1000/10000 TRIM FLANGE



### FCR700 SERIES

*Class 1000/10000 / ISO Class 6 and Class 7 Equivalent Recessed Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 100 GRID RECESSED GRID



### GCR200 SERIES

*Class 100 / ISO Class 5 Equivalent Recessed Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 1000/10000 RECESSED GRID



### GCR700 SERIES

*Class 1000/10000 / ISO Class 6 and Class 7 Equivalent Recessed Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 100 SURFACE MOUNTED



### MCR200 SERIES

*Class 100 / ISO Class 5 Equivalent Surface Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 1000/10000 SURFACE MOUNTED



### MCR700 SERIES

*Class 1000/10000 / ISO Class 6 and Class 7 Equivalent Surface Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Clean Room, Sealed Ceiling Areas

## CLASS 100 LINEAR TEAR DROP



### TDC101

*Class 100 / ISO Class 5 Equivalent Surface / Suspension / Row Mounted LED Luminaire*

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Snap-In Lens Standard

**Applications:** Clean Room, Retail, Commercial



GCR720 Installed In Laboratories



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V dimming driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# ARCHITECTURAL

LED LUMINAIRES



## 180° ADJUSTABLE WALL WASH



### AWW100

Architectural Surface / Ceiling / Wall Mounted LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Frosted White Acrylic Lens

**Applications:** Architectural, Atrium, Retail, Office, Museum, Library

## SURFACE MOUNTED FRAMELESS



### MFF104

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Flat Frosted White Acrylic

**Applications:** Architectural, Retail, Hospital, Commercial

## LINEAR TEAR DROP



### TDC101

Class 100 / ISO Class 5 Equivalent Surface / Suspension / Row Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Snap-In Lens Standard

**Applications:** Clean Room, Retail, Commercial

## ASYMMETRICAL STRIP



### SAW100

Ceiling / Wall Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Acrylic

**Applications:** Architectural, Office, Retail, Museum, Bowling Alley, Commercial

## ASYMMETRICAL WALL WASH



### SWW100

Surface / Ceiling / Wall Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Acrylic

**Applications:** Architectural, Office, Retail, Museum, Bowling Alley

## PARABOLIC CROSS BAFFLE LOUVER



### MLD200

Surface / Suspended / Pendant Mounted LED Luminaire


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Cross Baffle Louver / 2 Units Per 8' Fixture

**Applications:** Architectural, Office

## MINIATURE RECTANGULAR BAFFLED



### LST050

Surface / Suspension LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Frosted White Acrylic

**Applications:** Library, Corridor, Task Lighting, Retail

## CORNER MOUNTED LUMINAIRE



### ANG050

Surface / Corner / Wall / Ceiling Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Flat Acrylic

**Applications:** Architectural, Retail, Corridor, Dormitory, Extended Care Facilities

## ANGLED WALL BRACKET



### BAN100

Under Cabinet / Angled Wall Bracket Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic Frameless Lay-In Lens

**Applications:** Corner Lighting, Under-Cabinet, Corridor, Task Lighting Areas



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant


BACK TO INDEX



# INDUSTRIAL

LED LUMINAIRES

## 11" WIDE LENSED INDUSTRIAL



### INW111

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Retail, Aisle Lighting, Assembly Line, Warehouse Industrial

## 11" WIDE LENSED INDUSTRIAL



### INW200

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 4', 8'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Assembly Line, Industrial, Warehouse

## 5" WIDE LENSED INDUSTRIAL



### INW105

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Acrylic

**Applications:** Retail, Aisle Lighting, Assembly Line, Warehouse, Industrial



INW200 Installed in Workshop



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures

- 0-10V dimming driver
- 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX

# STRIP LIGHT

LED LUMINAIRES



## 2 1/4" WIDE LENSED STRIP



### STW100

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Lens:** Frosted Acrylic

**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## 2 1/4" ARCHITECTURAL LENSED



### STW101

Surface / Suspension Mounted LED Luminaire  
(Welded and Painted After Fabrication)


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Lens:** Frosted Acrylic

**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## 2 1/4" INDUSTRIAL STRIP



### STW110

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Lens:** Frosted Acrylic

**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## 1 3/4" WIDE MINIATURE OPEN STRIP



### STR050

Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Industrial, Warehouse, Commercial

## ASYMMETRICAL STRIP



### SAW100

Ceiling / Wall Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Acrylic

**Applications:** Architectural, Office, Retail, Museum, Bowling Alley, Commercial



STW100 Installed in Parking Application

## 5" WIDE LENSED STRIP



### STW200 In-Stock Product

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Deep Impact Resistant Smooth Frosted Acrylic

**Applications:** Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

## 2 1/4" WIDE INDIRECT UPLIGHT



### STW180

Suspension Mounted LED Luminaire with Diffuser

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Frosted White Acrylic

**Applications:** Architectural, Office, Corridor, Stairwell

## LINEAR TEAR DROP



### TDC100 / 101

Class 100 / ISO Class 5 Equivalent Surface / Suspension / Row Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Snap-In Lens Standard

**Applications:** Industrial, Office, Warehouse, Stairwell, Parking Structure



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# WRAPAROUND

LED LUMINAIRES

## 5 1/4" WIDE SQUARE CORRIDOR



### COR100

Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Corridor, Wall

## LENSED WRAPAROUND



### WAN107 / 113

Surface / Suspension Mounted LED Luminaire


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Prismatic Acrylic 7 3/4" / 13" Wide

**Applications:** Office, Classroom

## HIGH IMPACT SQUARE WRAPAROUND



### WCP100 SERIES

Surface / Pendant Mounted LED Luminaire


**Lumen Packages:** Up to 24000+

**Sizes:** 2', 4', 8'

**Lens:** High Impact Clear Prismatic Acrylic

**Applications:** Classroom, Office, Corridor

## HIGH IMPACT WRAPAROUND



### WHO SERIES

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 4', 8'

**Lens:** Inverted Clear Prismatic Acrylic

**Applications:** Assembly Line, Industrial, Warehouse

## HIGH IMPACT WRAPAROUND



### WSE200

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Classroom, Canopy, Corridor

## HIGH IMPACT SECURITY WRAPAROUND



### WSE201

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Corridor, Canopy

## PARKING STRUCTURE WRAPAROUND



### WSE250

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Frosted Acrylic / Frosted White Acrylic

**Applications:** Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting

## PARKING STRUCTURE WRAPAROUND



### WSE251 In-Stock Product

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** 4' Snap-On Frosted Micro Linear Prism Acrylic

**Applications:** Parking Structure, Corridor, Canopy



BAC200 Installed in Hospital Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures

• 0-10V dimming driver

• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company

reserves the right to alter specifications, dimensions, data, and/or materials without notice.

Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX

# WRAPAROUND

LED LUMINAIRES



## ANGLED CURVED LENSED



### BAC200

Corner / Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Industrial, Warehouse, Commercial Passage Way, Corridor

## ANGLED WALL BRACKET



### BAN100

Under Cabinet / Angled Wall Bracket Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic Frameless Lay-In Lens  
**Applications:** Corner Lighting, Under-Cabinet, Corridor, Task Lighting Areas

## SQUARE WALL BRACKET



### BSQ100

Wall Mounted LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Commercial, Passage Way, Corridor

## ULTRASONIC SENSOR CONTROLLED



### BSW100

Wall Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4'

**Lens:** Snap-On Frosted Micro Linear Prism Acrylic

**Applications:** Stairwell, Wall Mount Areas

## HIGH IMPACT SECURITY WRAPAROUND



### WSE201

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Corridor, Canopy

## FLUORESCENT-TO-LED

Lamp Type	Lamp Qty	LED Lumens	
F17T8 F14T5	1 =	1000 LM	
	2 =	2000 LM	
	3 =	3000 LM	
	4 =	4000 LM	
F32T8 F28T5 FB31T8 U FB32T8 U PL-L/40 F40 U	1 =	2000 LM	
	2 =	4000 LM	
	3 =	6000 LM	
	4 =	8000 LM	
	6 =	12000 LM	
	8 =	16000 LM	
	F54T5HO PL-L/50 PL-L/55	1 =	4000 LM
		2 =	8000 LM
3 =		12000 LM	
4 =		16000 LM	
6 =		24000 LM	
8 =		32000 LM	

## DUAL LENSED VOLUMETRIC



### VED360

Surface / Suspension / Ceiling / Wall Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** Frosted Acrylic / Frosted White Acrylic

**Applications:** Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting



VED360 Installed in Hospital Application



## Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# SURFACE MOUNT

LED LUMINAIRES

## MINIATURE ANGLED



### ANG050

Surface / Corner / Wall / Ceiling Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Frosted Flat Acrylic

**Applications:** Architectural, Retail, Corridor, Dormitory, Extended Care Facilities

## ULTRASONIC SENSOR CONTROLLED



### BSW100

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 4'

**Lens:** Snap-On Frosted Micro Linear Prism Acrylic

**Applications:** Stairwell, Wall Mount Areas

## ANGLED CURVED LENSED



### BAC200

Corner / Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 6', 8'

**Applications:** Industrial, Warehouse, Commercial Passage Way, Corridor

## DIRECT ILLUMINATED CENTER LENSED INDIRECT / DIRECT ILLUMINATED



### MDC300 SERIES


Surface Mounted LED Luminaire

**Lumen Packages:** Up to 10000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Frosted Radial Lens to Maximize Lumen Output

**Applications:** Office, Classroom



### MIC100 SERIES

Surface Mounted LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** High Impact Linear Pattern Frosted Acrylic

**Applications:** Parking Structure, Corridor, Canopy

## DECORATIVE SOFT CONTOUR



### DES220

Surface / Suspension Mounted LED Luminaire


**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Fully Illuminated, White Acrylic Opal Diffuser

**Applications:** Residential, Commercial, Store, Office, Kitchen

## 6" WIDE FRAMELESS FLAT



### MFF106

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic

**Applications:** Office, Retail, Accent Lighting

## HINGE AND LATCH DOOR FRAME



### MHL306

6" Width / Metal Sided Surface Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic

**Applications:** Office, Retail, Accent Lighting

## DUAL LENSED VOLUMETRIC



### VED360

Surface / Suspension / Ceiling / Wall Mounted LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 3', 4', 8'

**Lens:** Frosted Acrylic Lens

**Applications:** Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures

- 0-10V dimming driver
- 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX

# SURFACE MOUNT LED LUMINAIRES



## 6" DEEP HOUSING



### MDH400 SERIES

Surface Mounted LED Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 1'x4', 2'x2', 2'x4', 4'x4'

**Lens:** High Impact Clear Prismatic Acrylic

**Applications:** Office, Lobby

## HINGE AND LATCH DOOR FRAME



### MHL300 SERIES

Surface / suspension mounted LED luminaire

**Lumen Packages:** Up to 32000+

**Sizes:** 1'x2', 1'x4', 2'x2', 2'x4', 4'x4'

**Lens:** Clear Prismatic Acrylic

**Applications:** Classroom, Commercial

## PARABOLIC



### MPA600 SERIES

Surface / Suspension Mounted LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Louver Configuration for: 12, 18, 24, 32 Cells

**Applications:** Parking Structure, Corridor, Canopy

## HIGH IMPACT WRAPAROUND



### WSE500

Surface / Ceiling Mounted Security LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4'

**Lens:** Clear Prismatic Polycarbonate

**Applications:** Vandal Resistant Areas, Pedestrian Tunnel, Passageway

## WET LOCATION CANOPY



### BCL100 In-Stock Product

Surface Mounted Wet Location LED Luminaire

**Lumen Packages:** Up to 4000+

**Sizes:** 1'x1'

**Lens:** Polycarbonate Injection Molded

**Applications:** Canopy, Corridor, Stairwell, Pedestrian Tunnel, Vandal Resistant Areas



DES220 Installed in Office Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX



# RECESSED FLANGED LED LUMINAIRES

## TRIM FLANGED DIRECT ILLUMINATED



### FDC300 SERIES

Recessed Mounted Trim Flanged LED Luminaire


**Lumen Packages:** Up to 10000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Frosted Radial Lens to Maximize Lumen Output

**Applications:** Office, Classroom, Commercial

## 6" FRAMELESS FLAT TRIM FLANGED



### FFF106

Recessed Mounted Trim Flanged LED Luminaire


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Office, Commercial

## HIGH IMPACT FLAT TRIM FLANGE



### FHB100

Recessed Mounted Trim Flanged LED Luminaire


**Lumen Packages:** Up to 24000+

**Sizes:** 4', 8'

**Lens:** Inverted High Impact Clear Prismatic

**Applications:** Handball Court, Racquetball Court

## 6" WIDE FRAMELESS FLAT



### FHL306

Recessed Mounted Trim Flanged LED Luminaire

**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic

**Applications:** Office, Classroom, Commercial

## HINGE AND LATCH DOOR FRAME



### FHL300 SERIES

Recessed Mounted Trim Flanged LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Office, Classroom, Commercial

## HINGE AND LATCH DOOR FRAME



### FHL315

Recessed Mounted Trim Flanged LED Luminaire


**Lumen Packages:** Up to 12000+

**Sizes:** 2', 4'

**Lens:** Clear Prismatic Acrylic

**Applications:** Office, Classroom, Commercial

## INDIRECT / DIRECT ILLUMINATED



### FIC120

Recessed Mounted Trim Flanged LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2'x2', 2'x4'

**Lens:** Perforated Center-mount Steel / White Acrylic Overlay w/Polyethylene Protective Trim

**Applications:** Office, Classroom, Commercial

## 6" WIDE TRIM FLANGED WALL WASH



### FWW206

Recessed Mounted Trim Flanged LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 1'x2', 1'x4'

**Applications:** Commercial, Wall Wash Lighting, Architectural, Retail

## 10" WIDE TRIM FLANGED WALL WASH



### FWW210

Recessed Mounted Trim Flanged LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 1'x2', 1'x4'

**Applications:** Commercial, Wall Wash Lighting, Architectural, Retail



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V dimming driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX



# RECESSED GRID

LED LUMINAIRES



## GRID CONCEALED T-BAR



### GCT620

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 16000+

**Sizes:** 2'x4'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Commercial, Office, Classroom

## DIRECT ILLUMINATED CENTER LENSED



### GDC300 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 10000+

**Sizes:** 2'x2' 2'x4'

**Lens:** Frosted Radial Lens to Maximize Lumen Output

**Applications:** Commercial, Office, Classroom

## DIRECT ILLUMINATED DUAL LENSED



### GDD320

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 12000+

**Sizes:** 2'x2' 2'x4'

**Lens:** 2x Frosted Radial Lens

**Applications:** Commercial, Office, Classroom

## 6" DEEP HOUSING W/2" REGRESS



### GDH400 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 24000+

**Sizes:** 1'x4', 2'x2', 2'x4', 4'x4'

**Lens:** Clear Prismatic Acrylic

**Applications:** Commercial, Office, Lobby, Library

## 6" WIDE FRAMELESS FLAT GRID



### GFF106

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Clear Prismatic Acrylic

**Applications:** Commercial, Office, Classroom

## 6" HINGE AND LATCH DOOR FRAME



### GHL306

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 16000+

**Sizes:** 4', 8'

**Lens:** Clear Prismatic Acrylic

**Applications:** Commercial, Office, Classroom

## HINGE AND LATCH DOOR FRAME GRID



### GHL300 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 24000+

**Sizes:** 1'x4', 2'x2', 2'x4', 4'x4'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Commercial, Office, Classroom

## 19 3/4" WIDE DOOR FRAME GRID



### GHL315

Recessed Mounted Grid LED Luminaire for 20" on Center Inverted T-Bar Ceilings

**Lumen Packages:** Up to 12000+

**Sizes:** 2'x2', 2'x4'

**Lens:** Clear Prismatic Acrylic Lens

**Applications:** Commercial, Office, Classroom

## INDIRECT / DIRECT ILLUMINATED GRID



### GIC100 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 8000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Perforated Center-mount Steel / White Acrylic Overlay w/Polyethylene Protective Trim

**Applications:** Commercial, Office, Classroom



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# RECESSED

LED LUMINAIRES

## INDIRECT/DIRECT CENTER BASKET



### GIC220

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 8000+

**Sizes:** 2'x2', 2'x4'

**Lens:** Perforated Center-mount Steel / White Acrylic Overlay w/Polyethylene Protective Trim

**Applications:** Office, Classroom, Commercial

## PARABOLIC GRID



### GPA600 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Louver Configuration for: 12, 18, 24, 32 Cells

**Applications:** Office, Commercial

## SHALLOW GRID



### GSL300 SERIES

Recessed Mounted Grid LED Luminaire for Inverted T-Bar Ceilings

**Lumen Packages:** Up to 12000+

**Sizes:** 1'x4', 2'x2', 2'x4'

**Lens:** Inverted High Impact Clear Prismatic

**Applications:** Commercial, Office

## 6" WIDE WALL WASH GRID



### GWW206

Recessed Mounted Grid LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2', 4'

**Lens:** Lensless Luminaire

**Applications:** Office, Retail, Accent Lighting

## 10" WIDE WALL WASH GRID



### GWW210

Recessed Mounted Grid LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2', 4'

**Lens:** Lensless Luminaire

**Applications:** Office, Retail, Accent Lighting

## ROUND APERTURE RECESSED



### RER100 SERIES

Recessed Mounted Grid LED Luminaire

**Lumen Packages:** Up to 12000+

**Sizes:** 2'x2', 3'x3', 4'x4'

**Lens:** Clear Prismatic Acrylic

**Applications:** Classroom, Commercial

## SIDE BASKET DIRECT / INDIRECT



### GIS120

Direct / Indirect Recessed Mounted LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2'x2', 2'x4'

**Lens:** Perforated Side-Mount Metal Lights Shields

**Applications:** Commercial, Office, Classroom, Lobby



GPA520 Installed in Office Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V dimming driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant


BACK TO INDEX

# VAPOR TIGHT

## LED LUMINAIRES



### WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

#### CIT100

Suspension / Ceiling Mounted  
Gasketed LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 4'

**Lens:** Impact Resistant Smooth Acrylic Frosted

**Applications:** Wash Down Areas, Refrigeration,  
Dusty Areas, Freezer, Food Processing

### WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

#### CIT200 In-Stock Product

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure  
Suspension / Ceiling Mounted

Gasketed LED Luminaire


**Lumen Packages:** Up to 16000+

**Sizes:** 2', 4', 8'

**Lens:** Impact Resistant Smooth Acrylic Frosted

**Applications:** Wash Down Areas, Refrigeration,  
Dusty Areas, Freezer, Food Processing

### PARKING STRUCTURE VAPOR TIGHT



Suitable for Wash Down Applications

#### CIT202

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure  
Suspension / Ceiling Mounted Vapor Tight

Gasketed LED Luminaire

**Lumen Packages:** Up to 8000+

**Sizes:** 2', 4'

**Lens:** Deep Impact Resistant Smooth Frosted Acrylic

**Applications:** Wash Down Areas, Refrigeration,  
Dusty Areas, Freezer, Food Processing

### HIGH BAY WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

#### CIT400

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure

Suspension / Ceiling Mounted Vapor Tight Gasketed  
LED Luminaire

**Lumen Packages:** Up to 32000+

**Sizes:** 4'

**Lens:** Impact Resistant Frosted Acrylic

**Applications:** Wash Down Areas, Refrigeration,  
Dusty Areas, Freezer, Food Processing



CIT200 Installed in Warehouse Application

### FLUORESCENT-TO-LED

Lamp Type	Lamp Qty	LED Lumens	
F17T8 F14T5	1 =	1000 LM	
	2 =	2000 LM	
	3 =	3000 LM	
	4 =	4000 LM	
F32T8 F28T5 FB31T8 U FB32T8 U PL-L/40 F40 U	1 =	2000 LM	
	2 =	4000 LM	
	3 =	6000 LM	
	4 =	8000 LM	
	6 =	12000 LM	
	8 =	16000 LM	
	F54T5HO PL-L/50 PL-L/55	1 =	4000 LM
		2 =	8000 LM
3 =		12000 LM	
4 =		16000 LM	
6 =		24000 LM	
8 =	32000 LM		



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BACK TO INDEX



# BAYLIGHTER™

LED LUMINAIRES

## ENCLOSED HIGH BAY



**EBY150**  
Surface / Pendant / Suspension Mounted High Bay LED Luminaire  
**Lumen Packages:** Up to 32000  
**Sizes:** 4'  
**Lens:** Clear Prismatic Acrylic Lens  
**Applications:** Industrial, Warehouse, Commercial

## TRIM FLANGED HIGH BAY



**FBL220**  
Trim Flanged High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** Clear Prismatic Acrylic  
**Applications:** Commercial, Retail, Auditorium

## SECURITY TRIM FLANGED HIGH BAY



**FBL229**  
Trim Flanged High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** High Impact Areas

## SECURITY HIGH BAY GRID MOUNTED



**GBL229**  
Recessed Mounted High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Retail, Auditorium

## SECURITY TRIM FLANGED HIGH BAY



**FBL229**  
Trim Flanged High Impact High Bay Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x2'  
**Lens:** High Impact Clear Prismatic Acrylic  
**Applications:** Commercial, High Impact Areas

## INDUSTRIAL HIGH BAY / LOW BAY



**HBN100 In-Stock Product**  
Surface / Suspension Mounted High Bay / Low Bay LED Luminaire  
**Lumen Packages:** Up to 48000+  
**Sizes:** 2', 4', 8'  
**Applications:** Warehouse, Industrial, Commercial

## SECURITY INDUSTRIAL HIGH BAY



**HBI600**  
Surface / Pendant / Suspension Mounted High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 2'x4'  
**Lens:** Clear Prismatic Polycarbonate  
**Applications:** Gymnasium, Industrial

## INDUSTRIAL HIGH IMPACT HIGH BAY



**HBI609**  
Surface / Pendant / Suspension Mounted High Impact High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 4'  
**Lens:** Clear Prismatic Acrylic  
**Applications:** High Impact Areas, Gymnasium, Industrial, Vandal Resistant Areas, Commercial

## INDUSTRIAL WET LOCATION HIGH BAY



**HBI800**  
Pendant / Surface Mounted Wet Location High Bay LED Luminaire  
**Lumen Packages:** Up to 24000+  
**Sizes:** 4'  
**Lens:** Clear Prismatic Acrylic  
**Applications:** Gymnasium, Industrial, Commercial



**Los Angeles Lighting Mfg. Co.**  
Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V dimming driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

**BACK TO INDEX**

# BAYLIGHTER™

LED LUMINAIRE S



## SECURITY HIGH IMPACT HIGH BAY



### MBL229

Surface Mount High Impact / High Bay Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 2'x2'

**Lens:** High Impact Clear Prismatic Acrylic

**Applications:** Retail, Auditorium, Vandal Resistant Areas

## SURFACE MOUNT HIGH BAY



### MBL220

Surface Mount High Impact / High Bay Luminaire

**Lumen Packages:** Up to 24000+

**Sizes:** 2'x2'

**Lens:** High Impact Clear Prismatic Acrylic

**Applications:** Retail, Auditorium, Commercial

## WET LOCATION VAPOR TIGHT



Suitable for Wash Down Applications

### CIT400

IP65 / IP66 / IP67 / NEMA 4X Rated Enclosure  
Suspension / Ceiling Mounted Vapor Tight Gasketed  
LED Luminaire

**Lumen Packages:** Up to 32000+

**Sizes:** 2', 4'

**Lens:** Impact Resistant Frosted Acrylic

**Applications:** Wash Down Areas, Refrigeration, Dusty Areas, Freezer, Food Processing



HBN100 Installed in Auditorium Application



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

#### Contact Us

T: 626-454-8300  
F: 626-454-8399  
www.lalighting.com

Standard in all our Fixtures  
• 0-10V Dimming Driver  
• 27K - 65K CCT

Due to continued product improvements and enhancements, Los Angeles Lighting Manufacturing Company reserves the right to alter specifications, dimensions, data, and/or materials without notice. Please visit our website to view the most current information.



BAA Compliant

BACK TO INDEX



LED

# IN-STOCK PRODUCT SCHEDULE

FOR IMMEDIATE SHIPMENT OR PICK-UP! - LALIGHTING.COM




INQUIRES: CUSTOMERSERVICE@LALIGHTING.COM / ORDERS: ORDERS@LALIGHTING.COM

PHONE: (626)454-8300 / FAX: (626)454-8399

AS OF 01/07/2021



VIEW DETAILS




### NARROW LENSED STRIP

LENGTH	LUMENS	CATALOG NUMBER
4'	2000	STW100-2-4L-FRWA-DRDM-UNV-1/840
4'	4000	STW100-4-4L-FRWA-DRDM-UNV-1/840
8'	4000	STW100-4-8L-FRWA-DRDM-UNV-1/840
8'	8000	STW100-8-8L-FRWA-DRDM-UNV-1/840
CAT. NUM.		ACCESSORY DESCRIPTION
V4		4" Leg Height V-Hook
V4CS10		10' Cable w/4" LED Height V-Hook
YTCS10		10' Y-Toggle-End w/Self-Locking Device



VIEW DETAILS




### WIDE LENSED STRIP

LENGTH	LUMENS	CATALOG NUMBER
4'	4000	STW200-4-4L-FRWA-DRDM-UNV-1/840
8'	8000	STW200-8-8L-FRWA-DRDM-UNV-1/840
CAT. NUM.		ACCESSORY DESCRIPTION
V4		4" Leg Height V-Hook
V4CS10		10' Cable w/4" LED Height V-Hook
YTCS10		10' Y-Toggle-End w/Self-Locking Device



VIEW DETAILS




### WIDE LENSED INDUSTRIAL STRIP

LENGTH	LUMENS	CATALOG NUMBER
4'	4000	INW200-4-4L-DRDM-UNV-1/840
8'	8000	INW200-8-8L-DRDM-UNV-1/840
CAT. NUM.		ACCESSORY DESCRIPTION
V4		4" Leg Height V-Hook
V4CS10		10' Cable w/4" LED Height V-Hook
YTCS10		10' Y-Toggle-End w/Self-Locking Device
WG14		14 Gauge Wire Guard



VIEW DETAILS




### ECONOMY WRAPAROUND

LENGTH	LUMENS	CATALOG NUMBER
4'	4000	WAN107-4-4L-FPA-DRDM-UNV-2/840
CAT. NUM.		ACCESSORY DESCRIPTION
V4		4" Leg Height V-Hook
V4CS10		10' Cable w/4" LED Height V-Hook
YTCS10		10' Y-Toggle-End w/ Self-Locking Device



VIEW DETAILS



### AUTO DIMMING CONTROLLED STRIP

LENGTH	LUMENS	CATALOG NUMBER
4'	4000	WSE251-4-4L-MSPCD(LOWE)-DRDM-UNV-1/840



Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
LALighting.com

• DesignLights Consortium® (DLC) qualified product.\*  
• DesignLights Consortium® (DLC Premium) qualified product.\*\*



# IN-STOCK PRODUCT SCHEDULE

FOR IMMEDIATE SHIPMENT OR PICK-UP! - LALIGHTING.COM




INQUIRES: CUSTOMERSERVICE@LALIGHTING.COM / ORDERS: ORDERS@LALIGHTING.COM

PHONE: (626)454-8300 / FAX: (626)454-8399

AS OF 01/07/2021




VIEW DETAILS




## CENTER LENS RECESSED T-BAR

SIZE	LUMENS	CATALOG NUMBER
1'x4'	4000	GDC310-4-4L-DRDM-UNV-1/840
2'x2'	3000	GDC320-3-2L-DRDM-UNV-1/840
2'x4'	6000	GDC320-6-4L-DRDM-UNV-1/840



VIEW DETAILS




## ECONOMY HIGH BAY

LENGTH	LUMENS	CATALOG NUMBER
4'	12000	HBN100-12-4L-PA-DRDM-UNV-2/850HT
4'	16000	HBN100-16-4L-PA-DRDM-UNV-2/850HT
4'	24000	HBN100-24-4L-PA-DRDM-UNV-2/850HT**
CAT. NUM.		ACCESSORY DESCRIPTION
YTCS10		10' Y-Toggle End Cable w/Self-Locking Device
V6		6" Leg Height V-Hook
V6CS10		10' Cable w/6" Leg Height V-Hook



VIEW DETAILS




## WET LOCATION VAPOR TIGHT

LENGTH	LUMENS	CATALOG NUMBER
4'	4000	CIT200-4-4L-DRFA-WL-DRDM-UNV-1/840
8'	8000	CIT200-8-8L-DRFA-WL-DRDM-UNV-1/840
CAT. NUM.		ACCESSORY DESCRIPTION
SSL		Stainless Steel Latches (per set) - 4ft fixture
SSL		Stainless Steel Latches (per set) - 8ft fixture
CIT/VH		Stainless Steel Chain Mount V-Hook



VIEW DETAILS




## WET LOCATION WIDE VAPOR TIGHT

LENGTH	LUMENS	CATALOG NUMBER
4'	16000	CIT400-16-4L-DRFA-WL-DRDM-UNV-2/850HT
4'	24000	CIT400-24-4L-DRFA-WL-DRDM-UNV-2/850HT**
CAT. NUM.		ACCESSORY DESCRIPTION
CIT4/VH		Stainless Steel Chain Mount V-Hook



VIEW DETAILS



## WET LOCATION SECURITY CANOPY

SIZE	LUMENS	CATALOG NUMBER
1'x1'	3000	BCL100-1-1L-DRDM740-UNV-840
1'x1'	4000	BCL100-1-1L-DRCDM1050-UNV-840



### Los Angeles Lighting Mfg. Co.

Headquarters  
10141 Olney Street  
El Monte, CA 91731  
Made in the USA

Contact Us  
T: 626-454-8300  
F: 626-454-8399  
LALighting.com

• DesignLights Consortium® (DLC) qualified product.\*  
• DesignLights Consortium® (DLC Premium) qualified product.\*\*



[WWW.LALIGHTING.COM](http://WWW.LALIGHTING.COM) / (626) 454-8300



SCAN TO VIEW GUIDE ONLINE