



PRODUCT GUIDE



MADE IN USA



COMMERCIAL
& INDUSTRIAL
LIGHTING

IN-STOCK
CUSTOM DESIGNS
RETROFIT SOLUTIONS
STANDARD & MODIFIED PRODUCTS

LOS ANGELES LIGHTING MFG. CO.

YOUR AMERICAN LIGHTING MANUFACTURER

The L.A. Lighting Story

Established in 1988, L.A. Lighting designs and manufactures commercial, industrial, institutional, and custom luminaires and retrofit solutions. The company's sales, engineering, and manufacturing departments are located at our corporate headquarters in El Monte, California, just east of Los Angeles.



At L.A. Lighting Our Mission is Simple:

"Give our customers what they want, how they want it, when they want it."

We accomplish this core objective by listening closely to our customers' needs, then leveraging our experienced, in-house engineering team, a flexible, state-of-the-art manufacturing facility, and close relationships with top tier component suppliers. The result: practical solutions that meet the aesthetic, electrical, and mechanical requirements of virtually any lighting application.



L.A. Lighting is one of the last true "Made-in-America" lighting manufacturers. Every luminaire we sell is designed and built in the United States, and is either manufactured to our customer's precise specifications or available for immediate shipping from our finished goods inventory. We can produce both small and large product runs, and ship these orders in accordance with customer requirements.

Open and easy communication is the hallmark of L.A. Lighting's 35-year history of meeting the needs of our customers. From common application questions to advanced technical inquiries, our sales and engineering teams are ready to tackle your lighting challenges. So contact us today to learn what L.A. Lighting can do to solve your problems and strengthen your business.



ENGINEERED FOR QUALITY

L.A. Lighting offers a standard product line, modified products, retrofit solutions, and custom luminaires. Our California manufacturing facility is designed for precision and flexibility, allowing us to quickly build luminaires to fit the exact specifications required for almost any application.



Key Capabilities

- Customizable lumen outputs
- Wide range of color temperatures
- Colored LEDs (amber, red, RGBW, and more)
- Wired/wireless sensors and controls
- Advanced dimming protocols (DALI, DMX, etc.)
- Modified dimensions to fit installation constraints
- Dependable manufacturing and shipping schedules
- Custom packaging and assembly
- Signature product development for National Accounts



Made in America

L.A. Lighting is American owned and operated, and every product we sell is built in our El Monte, California factory. Our products comply with Build America, Buy America (BABA) and Buy American Act (BAA) requirements, facilitating their use in government buildings, schools, military bases, and other projects that require Made in America certifications.

Certifications



All L.A. Lighting products comply with UL standards for safety and operation.



All L.A. Lighting products comply with restrictions on hazardous substances.



ADA Compliant - Wall-mounted luminaires that protrude no more than 4" into walkways.



Washdown Applications – Designed to withstand frequent high pressure hose washdowns.



Suitable for use in food preparation and handling areas. "Splash Zone" certified.



Wet Location- Meets UL standard for wet location luminaires. Typically includes water-resistant features like full gasketing and corrosion-resistant materials.

ADVANCED FEATURES

Versatile Lighting Controls

As an independent manufacturer, L.A. Lighting has the flexibility to implement a wide range of controls platforms to meet our customers' needs. Here are just a few of the controls technologies that can be integrated into our luminaires and retrofit solutions.

CASAMBI

Enlighted

EnOcean
Sustainable IoT

iR-TEC
Specializing in Building Sensors

LEVITON

LUTRON

MW
Connect

nLIGHT

LIGHTING
CONTROLS

sensorswitch



SILVAIR

WattStopper®

Cutting Edge LED Technology

L.A. Lighting products are built for flexibility, and nowhere is this more apparent than our wide range of lumen packages. We offer color temperatures from 2700K to 6500K, as well as tunable white LED boards that can be adjusted within a wide color range at the push of a button. Colored LEDs (amber, red, RGBW, and more) are available for specialty applications, including pharmaceutical and semiconductor manufacturing. High Efficacy (HE) and High Temperature (HT) configurations are also available, as well as 80+ and 90CRI options.

And our newest innovation? Lumen and color selectable systems, which allow users to choose their lumen output or CCT with the flick of a switch, reducing the number of SKUs they carry and providing essential flexibility in the field.



All product names, logos, brands, trademarks and registered trademarks are property of their respective owners. Use of these names, trademarks and brands does not imply endorsement.

TABLE OF CONTENTS

LED Luminaires by Application

CUSTOM LIGHTING DESIGNS	5
RETROFIT SOLUTIONS.....	7
ARCHITECTURAL	9
CLEANROOM	10
HIGH BAY	11
INDUSTRIAL.....	13
PARKING STRUCTURE	14
RECESSED	15
STAIRWELL.....	18
SECURITY	19
SURFACE MOUNT	21
STRIP LIGHT.....	23
VAPOR TIGHT.....	24
WET LOCATION	25
WALL BRACKET	27
WRAPAROUND	28
IN-STOCK LED PRODUCTS	29

Sold exclusively through wholesale electrical and lighting distributors




CUSTOM DESIGNS

For 35 years, L.A. Lighting has built a reputation for taking on lighting challenges that other manufacturers won't touch. Whether it's a tricky specification-grade luminaire, a unique retrofit application, or anything in between, we'll work with you to devise a custom lighting solution that will exceed your client's expectations. Our custom capabilities include:


- Building luminaires to specific physical requirements, including non-standard lengths or depths.
- Adding or removing holes or knockouts as required for a specific application.
- The use of customer-required proprietary components, such as power connectors or mounting systems.
- Balancing internal components to facilitate weight distribution for mounting purposes.
- The design and application of custom elements like uplight slots, gasketing, louvers, and more.
- The use of specified materials, optics, sensors, or other components.

And when you're satisfied with your custom luminaire, L.A. Lighting can offer you added protection by assigning it a unique Custom Design part number (LCD) and a private cut sheet. This prevents easy crosses by competitors and allows you to hold on to a specification for years to come.




Strip w/Asymmetrical Reflector

Industrial strip luminaire with custom reflectors for asymmetrical illumination




Recessed Asymmetrical Luminaire

For applications that require directional LED lighting




Sloped LED High Bay

Reduces the build up of dust on the luminaire housing




Louvered Recessed Luminaire

For directional lighting applications with a baffled louver



Top Access Flanged Luminaire

Flanged luminaire engineered for top access installations




Adjustable Recessed Luminaire

Engineered to easily modify the direction of light to suit the application



CUSTOM DESIGNS

Pictured below are just a few of the hundreds of custom products L.A. Lighting has created. Contact us today to get started on your own!



Indirect Cable Suspended Luminaire

Indirect LED fixture designed for work areas, display shelves, and conference rooms



Baffled Surface Mount Luminaire

Equipped with integral occupancy sensors for maximum energy savings




45° High Impact Luminaire

Sturdy luminaire ideal for indoor tennis courts and other impact-prone locations




RGBW Tunnel Luminaire

Color Tuning LED Luminaire with wall wash feature for tunnel applications




Baffled Recessed Luminaire

Semi-recessed luminaire designed for accent louvered lighting



Strip Light w/ Perforated Reflector

Unique design for hallways and corridors




Sign Lighting Box

Custom luminaire with information on the side (illuminated lettering)



Sign Light Box LED Luminaire

Replaceable signage (graphics by others)



Sign Light Box LED Luminaire

Replaceable signage (graphics by others)



RETROFIT SOLUTIONS

L.A. Lighting's versatile LED retrofit solutions allow you to easily upgrade legacy lighting systems to cost-efficient LED technology. L.A. Lighting's retrofit products consist of pre-wired LED assemblies that include boards, drivers, safety cables, and push-in driver disconnects. All necessary hardware, labels, and installation instructions are included.

Why upgrade to LED?

- Reduces energy use compared to fluorescent and other legacy lighting technologies
- Lowers maintenance costs (no more bulbs to change)
- Preserves existing luminaires when required for aesthetic or design constraints
- Does not require entering plenum, reducing potential exposure to hazardous materials
- Quick installation- most retrofit kits can be installed in five minutes
- Optional controls can maximize energy savings

RBCW500



Canopy Retrofit

Easy-to-install retrofit for 1'x1' canopy luminaires. Aluminum LED cover tray, polycarbonates lens, and flexible lumen package options.

RCIT SERIES



Vapor Tight Retrofit

LED retrofit solution for common vapor tight enclosures. Multiple lengths and widths available. 22 gauge cold-rolled steel LED tray.

REBY350




High Bay Retrofit

High lumen retrofit solution for fluorescent high bay luminaires. Features safety cables and pre-punched holes to simplify installation.



RGHL320

RGHL300 SERIES



Troffer Retrofit

Simple retrofit solution for common troffer luminaires. Installs in less than five minutes. Flexible controls and lumen package options.



RETROFIT SOLUTIONS

L.A. Lighting offers standard retrofit kits as well as custom solutions. Our experienced, in-house engineering team will assess your host fixture to determine the right approach for your unique application.


RGPA520



Parabolic Retrofit

Preserves the look and functionality of louvered parabolic luminaires while achieving significant cost and energy savings.

RHBI600



High Bay Retrofit

Designed to easily upgrade legacy high bay systems to more efficient LED. Well-suited to warehouses and factories.

RHBS100



Industrial Wraparound Retrofit

Versatile retrofit solution for common industrial applications. Offered with or without diffusers to work with various host fixtures.

RMBL220



2x2 High Bay Retrofit

Ideal for fluorescent and HID retrofits in gymnasiums and warehouses. High temperature option and custom lumen packages.

RSL003



Outdoor Strip Retrofit

Engineered to seamlessly upgrade outdoor fluorescent strips to more energy-efficient LED. Emergency battery packs and controls available.

RSTR200 SERIES



Strip Light Retrofit

Designed to easily convert fluorescent strip luminaires to LED. Multiple lengths and widths to fit a variety of fixtures.


RSW003



Indirect Strip Retrofit

Two-row LED strip designed for indirect fluorescent luminaires. Pre-wired LED assembly installs easily in existing fixture.

RWCP300



Wraparound Retrofit

Built for versatility and simple installation. Ideal solution for wraparound luminaires commonly found in classrooms, offices, and hallways.

RWHO SERIES



Wraparound Retrofit

Highly customizable LED retrofit solution for traditional fluorescent wraparound luminaires. Various lengths and widths available.



ARCHITECTURAL

LED LUMINAIRES

ANG050



Surface / Wall / Corner Mounted

5" deep angled luminaire with frameless acrylic lens. Ideal for corner mounts.

Applications: Architectural, Retail, Corridor, Dormitory, Extended Care Facilities

AWW100



Surface Mounted

Wall wash luminaire with 180° adjustable bracket to provide flexible illumination for retail, architectural, and museum applications.

Applications: Architectural, Atrium, Retail, Office, Museum, Library

DES SERIES



Surface / Suspension Mounted

Decorative soft contour luminaire featuring unique dropped white acrylic opal diffuser.

Applications: Residential, Commercial, Retail, Office, Kitchen

LST050



Surface / Suspension Mounted

4 1/2" wide baffled strip luminaire designed to cut glare in corridors, libraries and retail settings.

Applications: Library, Corridor, Task Lighting, Retail

MFF104 / 106



Surface / Suspension Mounted

Sleek linear luminaire with frameless lens and narrow profile. Surface-mounted or suspended.

Applications: Architectural, Retail, Hospital

SAW100



Corner / Surface Mounted

3" wide asymmetrical strip luminaire. Clean look ideal for corner mount applications.

Applications: Architectural, Office, Retail, Museum, Bowling Alley, Commercial

STW101



Surface / Suspension Mounted

Narrow profile strip light with clean, architectural look and wide range of customizable options.

Applications: Office, Corridor, Stairwell, Parking Structure

SWW100



Ceiling Mounted

Narrow profile wall wash luminaire. Innovative design for surface illumination.

Applications: Office, Retail, Museum, Bowling Alley

TDC101



Surface / Suspension Mounted

Elegant teardrop-shaped strip luminaire with clean edges and class 100 cleanroom rating.

Applications: Retail, Commercial



CLEANROOM

LED LUMINAIRES

FCR200 SERIES



Recessed Flanged

Flanged class 100 cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

FCR700 SERIES

Recessed Flanged

Flanged class 1000/10,000 cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

GCR200 SERIES



Grid Mounted

Grid-mounted class 100 cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

GCR700 SERIES



Grid Mounted

Grid-mounted class 1000/10,000 cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

MCR200 SERIES



Surface Mounted

Surface-mounted class 100 cleanroom luminaire. 12" or 24" wide.

Applications: Cleanroom, Sealed Ceiling Areas

MCR700 SERIES



Surface Mounted

Surface-mounted class 1000/10,000 cleanroom luminaire. 12" or 24" wide.

Applications: Cleanroom, Sealed Ceiling Areas

TDC100 / 101



Surface / Suspension / Row Mounted

Class 100 cleanroom luminaire with teardrop design, snap-in lens, and flexible mounting options.

Applications: Cleanroom, Retail, Commercial



FCR720



HIGH BAY

LED LUMINAIRES

CIT400



Washdown Applications

Suspension / Ceiling Mounted

14½" wide IP67 / NEMA 4X vapor tight luminaire with fiberglass housing and impact-resistant lens. High temperature options available.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

EBY SERIES



Surface / Pendant / Suspension Mounted

Full body high bay luminaire with hinge and latch door frame and multiple mounting options.

Applications: Warehouse, Industrial, Commercial

FBL220



Recessed Flanged

Flanged high bay luminaire well-suited to auditoriums and high-ceiling commercial applications.

Applications: Commercial, Retail, Auditorium

FBL229



Recessed Flanged

Impact-resistant, recessed high bay luminaire for flanged applications.

Applications: Gymnasium, Auditorium

GBL220



Recessed Grid

High bay luminaire well-suited to auditoriums and high-ceiling commercial applications.

Applications: Warehouse, Retail, Auditorium

GBL229



Recessed Grid

Impact-resistant, recessed high bay luminaire for grid-mounted applications.

Applications: Gymnasium, Auditorium

HBI600 / 609



Surface / Pendant / Suspension Mounted

Industrial high bay luminaire featuring multiple options for controls, mounting, and high lumen packages.

Applications: Gymnasium, Industrial

HBI800



Surface / Suspension Mounted

Wet location high bay with range of high lumen packages and lens options.

Applications: Gymnasium, Industrial, Commercial

HBV350



Surface / Pendant / Suspension Mounted

V-shaped industrial high bay. Engineered to remove excess heat in high temperature applications.

Applications: Gymnasium, Warehouse



HIGH BAY

LED LUMINAIRES

HBN100



Surface / Suspension Mounted

Versatile 11" wide industrial high bay luminaire. Range of lens, controls, and mounting options.

Applications: Warehouse, Industrial, Commercial

HBN200



Surface / Suspension Mounted

Durable 16" wide industrial high bay luminaire. with optional wire guard and high lumen packages.

Applications: Warehouse, Industrial, Commercial

MBL220



Surface Mounted

High-impact luminaire well-suited to auditoriums and high-ceiling commercial applications.

Applications: Retail, Auditorium, Commercial

MBL229




Surface Mounted

Vandal-resistant recessed high bay luminaire for surface mount applications.

Applications: Gymnasium, Auditorium

For high bay options and accessories, including wire guards, sensors, mounting systems, and high output lumen packages, visit www.lalighting.com or contact customer service.





INDUSTRIAL

LED LUMINAIRES

INW105



Surface / Suspension Mounted

5" wide lensed industrial luminaire with narrow profile reflector.

Applications: Retail, Aisle Lighting, Assembly Line, Warehouse, Industrial

INW111



Surface / Suspension Mounted

Durable 11" wide strip with narrow frosted acrylic lens for a variety of industrial applications.

Applications: Retail, Aisle Lighting, Assembly Line, Warehouse, Industrial

INW200



Surface / Suspension Mounted

11" wide industrial strip with 5" housing and lens. Range of customizable options.

Applications: Assembly Line, Industrial, Warehouse



INW200



PARKING STRUCTURE

LED LUMINAIRES

BCL100



Surface Mounted

Durable wet location canopy luminaire specifically engineered for high-traffic areas.

Applications: Canopy, Corridor, Parking Structure, Stairwell, Pedestrian Tunnels

CIT200



Washdown Applications

Suspension / Ceiling Mounted

Durable IP67 / NEMA 4X vapor tight luminaire featuring 7" wide fiberglass housing, polyurethane gasket, and impact-resistant lens.

Applications: Refrigeration, Dusty Areas, Food Processing, Parking Structures

CIT202



Washdown Applications

Surface / Suspension Mounted

IP67 / NEMA 4X vapor tight with acrylic lens designed especially for parking garages and other applications that require wide light distribution.

Applications: Parking Structures, Pedestrian Tunnels

STW100



Surface / Suspension Mounted

Versatile 2 1/4" wide strip, available in multiple lengths. Suitable for a range of linear applications.

Applications: Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

STW200



Surface / Suspension Mounted

5" wide linear luminaire. Flexible options, including controls, lumen packages, and lenses.

Applications: Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure

WSE200



Surface / Suspension Mounted

Impact-resistant steel wraparound luminaire. Ideal for stairwells and parking structures. Optional polycarbonate lens.

Applications: Parking Structure, Classroom, Canopy

WSE201



Surface / Suspension Mounted

Impact-resistant steel wraparound with integral sensor and optional polycarbonate lens. Ideal for stairwells and parking structures.

Applications: Parking Structure, Corridor, Canopy

WSE250



Surface / Suspension Mounted

Curved wraparound luminaire with aluminum housing, customizable options, and range of lumen packages.

Applications: Parking Structure, Corridor, Canopy

WSE251



Surface / Suspension Mounted

Curved wraparound luminaire with aluminum housing, integral sensor, customizable options, and range of lumen packages.

Applications: Parking Structure, Corridor, Canopy



RECESSED GRID

LED LUMINAIRES

GBL220 / 229



Grid Mounted

High bay luminaire well-suited to auditoriums and high-ceiling commercial applications. Impact-resistant model available.

Applications: Retail, Auditorium

GCT620



Grid Mounted

Unique recessed troffer with wide trim to conceal standard T-bar grids.

Applications: Commercial, Office, Classroom

GDC300 SERIES



Grid Mounted

Recessed luminaire with radial center lens for sleek, modern look.

Applications: Commercial, Office, Classroom

GDD320



Grid Mounted

2' wide recessed luminaire featuring dual lenses, high reflectance finish, and range of control options.

Applications: Commercial, Office, Classroom

GDH400 SERIES



Grid Mounted

6" deep recessed luminaire with regressed aluminum door frame.

Applications: Commercial, Office, Lobby, Library

GFF106



Grid Mounted

Linear luminaire with frameless lens and narrow profile.

Applications: Commercial, Office, Classroom

GHL300 SERIES



Grid Mounted

Highly customizable, recessed luminaire with door frame. Multiple sizes and lumen packages available.

Applications: Commercial, Office, Classroom

GIC110



Grid Mounted

Full-bodied 12" or 24" wide grid-mounted center basket luminaire for direct and indirect illumination.

Applications: Commercial, Office, Classroom

GIC220



Grid Mounted

Grid-mounted center basket luminaire with cutaway housing. Provides direct and indirect illumination.

Applications: Office, Classroom, Commercial



RECESSED GRID

LED LUMINAIRES

GPA600 SERIES



Grid Mounted

Parabolic luminaire with classic louvered look and wide range of options.

Applications: Office, Commercial

GSE100 SERIES



Grid Mounted

Recessed security luminaire for T-bar grids. Features full-length piano hinge and tamper proof screws.

Applications: Security, Office, Classroom, Public Areas

GSL300 SERIES



Grid Mounted

Shallow depth, recessed luminaire. T-hinge door frame and wide range of sizes and options.

Applications: Office, Commercial

GWL SERIES



Grid Mounted

Wet location recessed luminaire featuring corrosion-resistant electro-galvanized steel and neoprene gasketing.

Applications: Wet Location

GWV206



Grid Mounted

6" wall wash luminaire for t-bar grids. Provides ambient illumination for architectural spaces.

Applications: Office, Retail, Accent Lighting

GWV210



Grid Mounted

10" recessed wall wash luminaire for t-bar grids. Suitable for retail and commercial applications.

Applications: Office, Retail, Accent Lighting

RER100 SERIES



Grid Mounted

Recessed luminaire with round aperture. Ideal for retail applications.

Applications: Commercial, Office, Classroom, Lobby



GDC320



RECESSED FLANGED

LED LUMINAIRES

FCL200



Recessed Flanged

1' x 1' recessed flanged luminaire. Sturdy construction for high traffic and damp locations.

Applications: Parking Structure, Corridor, Canopy

FDC300 SERIES



Recessed Flanged

Center lensed luminaire that maximizes illumination while reducing glare.

Applications: Office, Classroom, Commercial

FDH SERIES



Recessed Flanged

Recessed flanged luminaire with 2" regressed door frame. Ideal for office and commercial applications.

Applications: Commercial, Office, Lobby

FFF106



Recessed Flanged

6" wide linear luminaire with frameless lens and narrow profile.

Applications: Office, Commercial

FHB100



Recessed Flanged

Flat, impact-resistant flanged luminaire ideally suited for racquetball and handball courts.

Applications: Handball Court, Racquetball Court, High Impact Areas

FHL300 SERIES



Recessed Flanged

Highly customizable, recessed flanged troffer with door frame. Multiple sizes and lumen packages

Applications: Office, Classroom, Commercial

FIC120



Recessed Flanged

12" or 24" wide recessed flanged center basket luminaire for direct and indirect illumination.

Applications: Office, Classroom, Commercial

FPA600 SERIES



Recessed Flanged

Recessed flanged parabolic luminaire. Classic louvered look with range of options.

Applications: Office, Classroom, Commercial

FWW200 SERIES



Recessed Flanged

Recessed flanged wall wash luminaire for architectural and retail settings.

Applications: Commercial, Wall Wash, Architectural, Retail



STAIRWELL

LED LUMINAIRES

BAC200



Corner Mounted

Curved 8" deep wall bracket providing even illumination and range of lumen output, pull switch, and tamper-proof options.

Applications: Industrial, Warehouse, Commercial, Passageway, Corridor

BSQ110



Wall Mounted

Classic wall bracket luminaire with a wide range of options for corridor, under-cabinet, and other applications.

Applications: Industrial, Warehouse, Commercial

BSW100



Wall Mounted

Low-profile stairwell luminaire with innovative ultrasonic sensor to detect motion outside visual range.

Applications: Stairwells, Corridors, Wall Mount Areas

WSE201



Surface / Suspension Mounted

Impact-resistant steel wraparound with integral sensor and optional polycarbonate lens. Ideal for stairwells and parking structures.

Applications: Parking Structure, Corridor, Canopy

WSE251



Surface / Suspension Mounted

Curved wraparound with aluminum housing, integral sensor, customizable options, and range of lumen packages.

Applications: Parking Structure, Corridor, Canopy



BSW100



SECURITY

LED LUMINAIRES

ASE100



Corner Mounted

Durable angled security luminaire featuring stainless steel piano hinge, polyurethane gasket, and tamper-proof screws.

Applications: Minimum Security, Corridors, Wall Mount Areas, Vandal Resistant Areas

BCL100



Surface Mounted

Durable wet location canopy luminaire specifically engineered for high-traffic areas.

Applications: Canopies, Covered Outdoor Areas, Stairwells, Pedestrian Tunnels

BCL200



Surface Mounted

Low-profile canopy luminaire. Wet location standard for use in covered outdoor locations.

Applications: Canopies, Covered Outdoor Areas, Stairwells, Pedestrian Tunnels



BCL100

FBL229



Recessed Flanged

Impact-resistant, recessed high bay luminaire for flanged applications.

Applications: Parking Structure, Corridor, Canopy

FCL200



Recessed Flanged

1' x 1' recessed flanged luminaire. Sturdy construction for high traffic and damp locations.

Applications: Parking Structure, Corridor, Canopy



SECURITY

LED LUMINAIRES

FSE100 SERIES



Recessed Flanged

Security luminaire for recessed flanged applications. Features full-length piano hinge and high impact lens.

Applications: Security, Office, Classroom, Public Areas

GBL229



Grid Mounted

Impact-resistant, recessed high bay luminaire for grid-mounted applications.

Applications: High Impact Areas

GSE100 SERIES



Grid Mounted

Recessed security luminaire for T-bar grids. Features full-length piano hinge and tamper proof screws.

Applications: Security, Office, Classroom

HBI609



Surface / Pendant / Suspension Mounted

Vandal-resistant high bay for gymnasiums and other high impact areas. Wire guard optional.

Applications: Industrial, Gymnasium, High-Impact Areas

MBL229



Surface Mounted

Vandal-resistant recessed high bay luminaire for surface mount applications.

Applications: Retail, Auditorium

MSE100 SERIES



Surface Mounted

Surface mounted security luminaire. Features full-length piano hinge and high impact lens.

Applications: Security, Office, Classroom, Vandal Resistant Areas, Public Areas

WSE100



Surface Mounted

5" wide, square profile security luminaire with high-impact lens and tamper-resistant screws.

Applications: High-Traffic Areas, Pedestrian Tunnels, Passageways

WSE400



Surface Mounted

Narrow profile high-impact security luminaire. Wraparound lens provides maximum illumination and impact resistance.

Applications: High-Traffic Areas, Pedestrian Tunnels, Passageways

WSE500



Surface Mounted

Wide body high-impact security luminaire. Polycarbonate wraparound lens and spot welded seams and corners.

Applications: High-Traffic Areas, Pedestrian Tunnels, Passageways



SURFACE MOUNT

LED LUMINAIRES

ANG SERIES



Corner / Surface Mounted

Angled luminaire ideal for corner mounts. Frameless and security models available, with range of options.

Applications: Architectural, Retail, Corridor, Dormitory, Extended Care Facilities

BAC200



Corner Mounted

Curved 8" deep wall bracket providing even illumination and range of lumen output, pull switch, and tamper-proof options.

Applications: Industrial, Warehouse, Commercial Passageways, Corridor, Vanity

BCL100



Surface Mounted

Durable wet location canopy luminaire specifically engineered for high-traffic areas.

Applications: Canopy, Corridor, Stairwell, Pedestrian Tunnels

BSW100



Surface Mounted

Low-profile stairwell luminaire with innovative ultrasonic sensor to detect motion outside visual range.

Applications: Stairwell, Wall Mount Areas

DES SERIES



Surface / Suspension Mounted

Decorative soft contour luminaire featuring unique dropped white acrylic opal diffuser.

Applications: Residential, Commercial, Retail, Office, Kitchen

MDC300 SERIES



Surface / Suspension Mounted

Modern luminaire with radial center lens for maximum illumination and minimal glare.

Applications: Office, Classroom

MDH400 SERIES



Surface Mounted

6" deep surface-mounted luminaire with 2" deep regressed aluminum door frame.

Applications: Office, Lobby

MFF104 / 106



Surface / Suspension Mounted

Sleek linear luminaire with frameless lens and narrow profile.

Applications: Office, Retail, Accent Lighting

MHL300 SERIES



Surface Mounted

T-hinge door frame luminaire. Multiple sizes and lumen packages available.

Applications: Classroom, Commercial



SURFACE MOUNT

LED LUMINAIRES

MIC100 SERIES



Surface / Suspension Mounted

Surface-mounted center basket luminaire providing direct and indirect illumination.

Applications: Parking Structure, Corridor, Canopy

MPA600 SERIES



Surface Mounted

Surface-mounted parabolic luminaire featuring louvered look and a wide range of custom features.

Applications: Corridor, Canopy

MSE100 SERIES



Surface Mounted

Surface mounted security luminaire. Features full-length piano hinge and high impact lens.

Applications: Security, Office, Classroom, Public Areas

WSE500



Surface / Ceiling Mounted

Wide body high-impact security luminaire. Polycarbonate wraparound lens and spot welded seams and corners.

Applications: Vandal Resistant Areas, Pedestrian Tunnel, Passageway

VED360



Ceiling / Wall Mounted

Innovative dual-lensed luminaire. Unique design provides versatile lighting solution for ceiling or wall mounted applications.

Applications: Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting


SWW100



Ceiling Mounted

Narrow profile wall wash luminaire. Innovative design for surface illumination.

Applications: Office, Retail, Museum, Bowling Alley



BAC200



STRIP LIGHT

LED LUMINAIRES

SAW100



Corner / Surface Mounted

3" wide asymmetrical strip luminaire. Clean look ideal for corner mount applications.

Applications: Architectural, Office, Retail, Museum, Bowling Alley, Commercial

STR050



Surface Mounted

1 3/4" wide open strip channel luminaire. Narrow profile is well-suited for applications with limited space.

Applications: Industrial, Warehouse, Commercial

STW100



Surface / Suspension Mounted

Versatile 2 1/4" wide strip, available in multiple lengths. Suitable for a range of linear applications.

Applications: Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

STW101



Surface / Suspension Mounted

Narrow profile strip light with clean, architectural look and wide range of customizable options

Applications: Office, Corridor, Stairwell, Parking Structure

STW110



Surface / Suspension Mounted

Durable industrial strip featuring 22-gauge steel and wireguard.

Applications: Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure, Assembly Line

STW180



Suspension Mounted

Narrow strip for indirect lighting applications.

Applications: Architectural, Office, Corridor, Stairwell

STW200



Surface / Suspension Mounted

5" wide linear luminaire with flexible lens, controls, and lumen package options.

Applications: Parking Structure, Corridor, Canopy

TDC100 / 101



Surface / Grid / Suspension Mounted

Class 100 cleanroom luminaire with teardrop design, snap-in lens, and flexible mounting options.

Applications: Cleanroom, Retail, Commercial

VED360



Surface / Suspension Mounted

Innovative dual-lensed luminaire. Unique design provides versatile lighting solution for ceiling or wall mounted applications.

Applications: Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting



VAPOR TIGHT LED LUMINAIRES

CIT100



Washdown Applications

Suspension / Ceiling Mounted

4" wide, IP67 / NEMA 4X vapor tight luminaire with sturdy fiberglass housing, polyurethane gasket, and impact-resistant lens.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

CIT200



Washdown Applications

Suspension / Ceiling Mounted

Durable IP67 / NEMA 4X vapor tight luminaire featuring 7" wide fiberglass housing, polyurethane gasket, and impact-resistant lens.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

CIT202



Washdown Applications

Suspension / Ceiling Mounted

IP67 / NEMA 4X vapor tight with acrylic lens designed especially for parking garages and other applications that require wide light distribution.

Applications: Parking Structures, Pedestrian Tunnels

CIT400



Washdown Applications

Suspension / Ceiling Mounted

14½" wide IP67 / NEMA 4X vapor tight luminaire with fiberglass housing and impact-resistant lens. High temperature options available.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

CIT401



Washdown Applications

Stem Mounted

IP67 / NEMA 4X luminaire with specially designed stem-mounting hardware. Fiberglass housing and impact-resistant lens. High temperature options.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing



CIT200



WET LOCATION

LED LUMINAIRES

BCL100



Surface Mounted

Durable wet location canopy luminaire specifically engineered for high-traffic areas.

Applications: Canopy, Corridor, Stairwell, Pedestrian Tunnels

BCL200



Surface Mounted

Low-profile canopy luminaire. Wet location standard for use in covered outdoor locations.

Applications: Canopy, Corridor, Stairwell, Pedestrian Tunnels

CIT100



Washdown Applications

Suspension / Ceiling Mounted

4" wide, IP67 / NEMA 4X vapor tight luminaire with sturdy fiberglass housing, polyurethane gasket, and impact-resistant lens.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

CIT200



Washdown Applications

Suspension / Ceiling Mounted

Durable IP67 / NEMA 4X vapor tight luminaire featuring 7" wide fiberglass housing, polyurethane gasket, and impact-resistant lens.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

CIT202



Washdown Applications

Suspension / Ceiling Mounted

IP67 / NEMA 4X vapor tight with acrylic lens designed especially for parking garages and other applications that require wide light distribution.

Applications: Parking Structures, Pedestrian Tunnels

CIT400



Washdown Applications

Suspension / Ceiling Mounted

14½" wide IP67 / NEMA 4X vapor tight luminaire with fiberglass housing and impact-resistant lens. High temperature options available.

Applications: Refrigeration, Dusty Areas, Freezer, Food Processing

FCR200 SERIES



Recessed Flanged

Flanged cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

FWL SERIES



Recessed Flanged

Sturdy wet location luminaire for recessed flanged applications. 22 gauge electro-galvanized steel and full-length piano hinge.

Applications: Wet Location, Sealed Ceiling Areas

GCR200 SERIES



Grid Mounted

Grid-mounted cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Parking Structure, Corridor, Canopy

For proper operation, Wet Location luminaires may require specific options or accessories when ordering. Consult cut sheets or contact Customer Service for more information.



WET LOCATION

LED LUMINAIRES

GWL SERIES



Grid Mounted

Wet location grid-mounted recessed luminaire featuring corrosion-resistant electro-galvanized steel and neoprene gasketing.

Applications: Wet Location, Gymnasium, Industrial

HBI800



Suspension Mounted

Wet location high bay with range of high lumen packages and lens options.

Applications: Wet Location, Gymnasium, Industrial

MCR200 SERIES



Surface Mounted

Surface-mounted cleanroom luminaire. 12" or 24" wide, full or tapered housing.

Applications: Cleanroom, Sealed Ceiling Areas

MWL SERIES




Surface Mounted

Surface-mounted luminaire for wet locations. Corrosion-resistant electro-galvanized steel and neoprene gasketing.

Applications: Wet Location, Sealed Ceiling Areas

WCP SERIES



Surface / Pendant Mounted

Impact-resistant wraparound luminaire for reliable illumination in high-traffic areas. Range of sizes available.

Applications: Classroom, Office, Corridor

WSE200



Surface / Suspension Mounted

Impact-resistant steel wraparound luminaire. Ideal for stairwells and parking structures. Optional polycarbonate lens.

Applications: Parking Structure, Classroom, Canopy

WSE201



Surface / Suspension Mounted

Impact-resistant steel wraparound with integral sensor and optional polycarbonate lens. Ideal for stairwells and parking structures.

Applications: Parking Structure, Corridor, Canopy



MWL320

For proper operation, Wet Location luminaires may require specific options or accessories when ordering. Consult cut sheets or contact Customer Service for more information.



WALL BRACKET

LED LUMINAIRES

AWW100



Surface Mounted

Wall wash luminaire with 180° adjustable bracket to provide flexible illumination for retail, architectural, and museum applications.

Applications: Architectural, Atrium, Retail, Office, Museum, Library

BAC200



Corner / Surface Mounted

Curved 8" deep wall bracket providing even illumination and range of lumen output, pull switch, and tamper-proof options.

Applications: Industrial, Warehouse, Commercial, Corridor, Vanity

BAN050



Corner / Surface Mounted

Compact wall bracket luminaire well-suited for task lighting and under-cabinet applications.

Applications: Corner Lighting, Under-Cabinet, Corridor, Task Lighting Areas

BSQ110



Wall Mounted

Classic wall bracket luminaire with a wide range of options for corridor, under-cabinet, and other applications.

Applications: Industrial, Warehouse, Commercial

BSW100



Surface / Suspension Mounted

Low-profile stairwell luminaire with innovative ultrasonic sensor to detect motion outside visual range.

Applications: Stairwell, Wall Mount Areas

VED360



Wall / Ceiling Mounted

Innovative dual-lensed luminaire. Unique design provides versatile lighting solution for ceiling or wall mounted applications.

Applications: Corridor, Retail, Hospital, Office, Stairwell, Restroom, Aisle Lighting



VED360



WRAPAROUND

LED LUMINAIRES

COR100



Surface Mounted

4 1/2" high linear luminaire with wraparound acrylic lens. Ideally suited for corridors.

Applications: Corridor, Wall

STW200



Surface / Suspension Mounted

5" wide linear luminaire with flexible lens, controls, and lumen package options.

Applications: Industrial, Office, Corridor, Warehouse, Stairwell, Parking Structure

WAN107



Surface / Suspension Mounted

Reliable wraparound luminaire for surface or suspension mounting. Flexible lumen packages and range of sizes.

Applications: Office, Classroom

WCP SERIES



Surface / Pendant Mounted

Impact-resistant wraparound luminaire for reliable illumination in high-traffic areas. Range of sizes available.

Applications: Classroom, Office, Corridor

WHO SERIES



Surface / Suspension Mounted

Durable wraparound luminaire with rounded, high-impact lens. Range of sizes available.

Applications: Classroom, Office, Corridor

WSE200



Surface / Suspension Mounted

Impact-resistant steel wraparound luminaire. Ideal for stairwells and parking structures. Optional polycarbonate lens.

Applications: Parking Structure, Classroom, Canopy

WSE201



Surface / Suspension Mounted

Impact-resistant steel wraparound with integral sensor and optional polycarbonate lens. Ideal for stairwells and parking structures.

Applications: Parking Structure, Corridor, Canopy

WSE250



Surface / Suspension Mounted

Curved wraparound luminaire with aluminum housing, customizable options, and range of lumen packages.

Applications: Parking Structure, Corridor, Canopy

WSE251



Surface / Suspension Mounted

Curved wraparound luminaire with aluminum housing, integral sensor, customizable options, and range of lumen packages.

Applications: Parking Structure, Corridor, Canopy



IN-STOCK LED PRODUCT



For immediate shipment or pick up


INQUIRIES: CUSTOMERSERVICE@LALIGHTING.COM / ORDERS: ORDERS@LALIGHTING.COM

PHONE: (626)454-8300 / FAX: (626)454-8399

As of: 05/28/24




STW100
NARROW LENSED STRIP



LENGTH	LUMENS	PART NUMBER	ITEM
4'	2000	STW100-2-4L-FRWA-DRDM-UNV-1/840	301400
4'	4000	STW100-4-4L-FRWA-DRDM-UNV-1/840	301500
8'	4000	STW100-4-8L-FRWA-DRDM-UNV-1/840	301600
8'	8000	STW100-8-8L-FRWA-DRDM-UNV-1/840	301700
PART NUMBER		ACCESSORY DESCRIPTION	
V4		4" Leg Height V-Hook*	
V4CS10		10' Cable w/ 4" Leg Height V-Hook*	
YTCS10		10' Y-Toggle End Cable w/Self-Locking Device*	




STW200
WIDE LENSED STRIP



LENGTH	LUMENS	PART NUMBER	ITEM
4'	4000	STW200-4-4L-DRDM-UNV-1/840	301800
8'	8000	STW200-8-8L-DRDM-UNV-1/840	301900
PART NUMBER		ACCESSORY DESCRIPTION	
V4		4" Leg Height V-Hook*	
V4CS10		10' Cable w/ 4" Leg Height V-Hook*	
YTCS10		10' Y-Toggle End Cable w/Self-Locking Device*	




INW200
WIDE LENSED INDUSTRIAL STRIP



LENGTH	LUMENS	PART NUMBER	ITEM
4'	4000	INW200-4-4L-DRDM-UNV-1/840	300900
8'	8000	INW200-8-8L-DRDM-UNV-1/840	301000
PART NUMBER		ACCESSORY DESCRIPTION	
V4		4" Leg Height V-Hook*	
V4CS10		10' Cable w/ 4" Leg Height V-Hook*	
YTCS10		10' Y-Toggle End Cable w/Self-Locking Device*	
WG14-INW200		14 Gauge Wire Guard	




WAN107
ECONOMY WRAPAROUND



LENGTH	LUMENS	PART NUMBER	ITEM
4'	4000	WAN107-4-4L-FPA-DRDM-UNV-2/840	302100
PART NUMBER		ACCESSORY DESCRIPTION	
V4		4" Leg Height V-Hook*	
V4CS10		10' Cable w/ 4" Leg Height V-Hook*	
YTCS10		10' Y-Toggle End Cable w/Self-Locking Device*	



WSE251
SENSOR CONTROLLED WRAPAROUND



LENGTH	LUMENS	PART NUMBER	ITEM
4'	4000	WSE251-4-4L-MSPCSD(LW)-DRDM-UNV-1/840	302000

* Two required per luminaire.



IN-STOCK LED PRODUCT

For immediate shipment or pick up




INQUIRIES: CUSTOMERSERVICE@LALIGHTING.COM / ORDERS: ORDERS@LALIGHTING.COM

PHONE: (626)454-8300 / FAX: (626)454-8399


As of: 05/28/24



GDC310 / GDC320
CENTER LENS RECESSED T-BAR




HBN100
ECONOMY HIGH BAY



Washdown




CIT200
WET LOCATION VAPOR TIGHT



Washdown




CIT400
WET LOCATION WIDE VAPOR TIGHT



Wet
Location



BCL100
SECURITY CANOPY



SIZE	LUMENS	PART NUMBER	ITEM
1' x 4'	4000	GDC310-4-4L-DRDM-UNV-1/840	301100
2' x 2'	3000	GDC320-3-2L-DRDM-UNV-1/840	301200
2' x 4'	4000	GDC320-4-4L-DRDM-UNV-1/840	301300

LENGTH	LUMENS	PART NUMBER	ITEM
4'	12000	HBN100-12-4L-FRA-DRDM-UNV-2/850HT	300600
		HBN100-12-4L-PA-DRDM-UNV-2/850HT	300895
	16000	HBN100-16-4L-FRA-DRDM-UNV-2/850HT	300700
		HBN100-16-4L-PA-DRDM-UNV-2/850HT	300896
	24000	HBN100-24-4L-FRA-DRDM-UNV-2/850HT	300800

Lens Options: **FRA**: Frosted Acrylic **PA**: Clear Acrylic Wraparound

For V-Hooks and Suspension Cables, contact Customer Service.

LENGTH	LUMENS	PART NUMBER	ITEM
4'	4000	CIT200-4-4L-DRFA-WL-DRDM-UNV-1/840	300200
8'	8000	CIT200-8-8L-DRFA-WL-DRDM-UNV-1/840	300300
PART NUMBER	ACCESSORY DESCRIPTION		
CIT2/SSL4	Stainless Steel Latches (Set for 4' Luminaire)		
CIT2/SSL8	Stainless Steel Latches (Set for 8' Luminaire)		
CIT/SSV	Stainless Steel Chain Mount V-Hook*		

LENGTH	LUMENS	PART NUMBER	ITEM
4'	16000	CIT400-16-4L-DRFA-WL-DRDM-UNV-2/850	300400
4'	24000	CIT400-24-4L-DRFA-WL-DRDM-UNV-2/850HT	300500
PART NUMBER	ACCESSORY DESCRIPTION		
CIT4/SSV	Stainless Steel Chain Mount V-Hook*		

SIZE	LUMENS	PART NUMBER	ITEM
1' x 1'	3000	BCL100-3-1L-DRDM-UNV-1/840	300025
1' x 1'	4000	BCL100-4-1L-DRDM-UNV-1/840	300125
PART NUMBER	ACCESSORY DESCRIPTION		
TP	Tamper Proof Screws (Set)		

* Two required per luminaire.



LED

PRODUCT GUIDE



T 626.454.8300
F 626.454.8399
10141 Olney St., El Monte, CA 91731
www.lalighting.com